

**2024/FYUG/EVEN/SEM/
MATDSM-151T/128**

FYUG Even Semester Exam., 2024

MATHEMATICS

(2nd Semester)

Course No. : MATDSM-151T

(Calculus)

Full Marks : 70
Pass Marks : 28

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—A

Answer any ten questions : 2×10=20

- 1. Define limit of a function at $x = a$.**
- 2. Check the continuity of**

$$f(x) = \begin{cases} x^2 & \text{when } x \neq 1 \\ 2 & \text{when } x = 1 \end{cases}$$

(2)

3. Use definition to find the derivative of $f(x) = \sqrt{x}$, $x > 0$.

4. Write the geometrical interpretation of Rolle's theorem along with a diagram.

5. Find the values of x at which $f(x) = 2x^3 - 21x^2 + 36x - 20$ has local maxima or minima.

6. Evaluate :

$$\lim_{x \rightarrow 0} \frac{e^x - e^{-x} - 2x}{x - \sin x}$$

7. Find f_x and f_y for

$$f(x) = \tan^{-1}\left(\frac{y}{x}\right)$$

8. Find the slope of tangent to the curve $y = x^3 - 3x^2 + 9$ at $x = 1$.

9. Find the polar subtangent of $r = a(1 - \cos\theta)$.

(3)

10. Show that

$$\int_0^a f(x) dx = \int_0^a f(a-x) dx$$

11. Evaluate

$$\int_0^{\pi/2} \sin^{10} x dx$$

12. If f is an odd function, then show that

$$\int_{-a}^a f(x) dx = 0$$

13. Write the formula to compute the area bounded by two curves $y = f_1(x)$ and $y = f_2(x)$ between $x = a$ and $x = b$.

14. Write the formula for the length of the curve $y = f(x)$ between two points having x_1 and x_2 as X-coordinates.

15. Write the formula for finding the volume of the solid of revolution formed by rotating $y = f(x)$ about X-axis between $x = x_1$ and $x = x_2$.

(4)

SECTION—B

Answer any five questions : $10 \times 5 = 50$

16. (a) Use definition to show that

$$\lim_{x \rightarrow 2} (3x - 4) = 2 \quad 3$$

- (b) If
- $y = \tan^{-1} x$
- , then show that
-
- $(1 + x^2)y_1 = 1$
- . Also show that

$$(1 + x^2)y_{n+1} + 2nx y_n + n(n-1)y_{n-1} = 0$$

Hence find the value of $(y_n)_0$. $1+3+3=7$

17. (a) Show that a function that is differentiable at a point is also continuous at that point. Give example of a function that is continuous at a point but not differentiable at that point. Justify your answer.
- $3+2=5$

- (b) State and prove Leibnitz's theorem on successive differentiation. 5

18. (a) State and prove Lagrange's mean-value theorem. 5

- (b) Derive the expansion of
- $\sin x$
- in powers of
- x
- , stating the conditions under which the expansion is valid. 5

(5)

19. (a) Show that the largest rectangle with a given perimeter is a square. 4

- (b) Evaluate :
- $3+3=6$

$$(i) \lim_{x \rightarrow \pi/2} (\sin x)^{\tan x}$$

$$(ii) \lim_{x \rightarrow 2} \left[\frac{4}{x^2 - 4} - \frac{1}{x-2} \right]$$

20. (a) If
- $u = \log(x^2 + y^2)$
- , then show that

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0 \quad 3$$

- (b) State and prove Euler's theorem on homogeneous of two variables. Use it to show that

$$x \frac{\partial u}{\partial x} + y \frac{\partial u}{\partial y} = \sin 2u$$

$$\text{where } \tan u = \frac{x^3 + y^3}{x - y}. \quad 1+3+3=7$$

21. (a) Find the equation of the tangent to the curve

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

at any point (x_1, y_1) on it. 5

(6)

- (b) If $lx + my = 1$ is normal to the parabola $y^2 = 4ax$, then prove that $al^3 + 2alm^2 = m^2$.

5

22. (a) Evaluate :

5

$$\int_0^{\pi/2} \log \sin x \, dx$$

- (b) Obtain a reduction formula for

$$\int_0^{\pi/2} \sin^n x \, dx$$

where n is a positive integer.

5

23. (a) Evaluate :

4

$$\int_0^{\pi/2} \frac{x \, dx}{\sin x + \cos x}$$

- (b) Obtain a reduction formula for

$$\int_0^{\pi/2} \sin^m x \cos^n x \, dx$$

where m and n are positive integers.

6

24. (a) Find the area of the segment cut off from the parabola $y^2 = 4x$ by the line $y = x$.

4

- (b) Find the volume and surface of the solid generated by revolving the parabola $y^2 = 4ax$ about the axis and bounded by $x = a$.

3+3=6

(7)

25. (a) Find the perimeter of the circle $x^2 + y^2 = a^2$ using integration.

4

- (b) Find the volume and surface area of the solid generated by revolving the cycloid $x = a(\theta + \sin \theta)$ and $y = a(1 + \cos \theta)$ about its base.

3+3=6
