

**2022/TDC (CBCS)/EVEN/SEM/
MTMHCC-601T/264**

TDC (CBCS) Even Semester Exam., 2022

MATHEMATICS

(Honours)

(6th Semester)

Course No. : MTMHCC-601T

(Complex Analysis)

Full Marks : 70

Pass Marks : 28

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—A

Answer any ten of the following questions : $2 \times 10 = 20$

- 1. If $|z|=1$, then find the real part of**

$$\frac{z-1}{z+1}$$

- 2. Find $\arg i(x+iy)$, if $\arg(x+iy) = \alpha$.**

(2)

3. Show that for any two complex numbers z and w , $|z-w| \geq |z|-|w|$.
4. Justify if the function $f: \mathbb{C} \rightarrow \mathbb{C}$ defined by $f(z) = \bar{z}$ is differentiable at $z=0$.
5. Check if Cauchy-Riemann equations are satisfied for $f(z) = |z|^2$ at $z=1+i$.
6. Show that if $f(z)$ is analytic at z_0 , then it must be continuous at z_0 .
7. Explain simply connected region and multiply connected region.
8. Evaluate $\int (2y+x^2)dx + (3x-y)dy$ along the arc of the parabola $x=2t$, $y=t^2+3$ joining $(0, 3)$ to $(2, 4)$.
9. If C is any simple closed curve, evaluate

$$\oint_C z dz$$
10. Justify if $\sin z$ is an entire function.

(3)

11. State fundamental theorem of algebra. How many roots does the equation $z^{100} - 1 = 0$ have?

12. Use $(\epsilon-\delta)$ definition of limit to show that

$$\lim_{n \rightarrow \infty} \left(1 + \frac{z}{n} \right) = 1$$

for each $z \in \mathbb{C}$.

13. Give a brief description of Laurent series of a complex function about a singular point.

14. Find Laurent series for the function

$$f(z) = \frac{z - \sin z}{z^3}$$

about $z=0$.

15. Let

$$f(z) = \frac{z}{(z-1)(z+1)^2}$$

Compute the residues at all the poles of this function.

SECTION—B

Answer any *five* of the following questions : $10 \times 5 = 50$

16. (a) Explain the geometrical interpretation of

$$\arg \left(\frac{z - \alpha}{z - \beta} \right)$$

Hence find the condition for collinearity of three complex numbers z , α and β .

4+1=5

- (b) If z_1, z_2, z_3 are the vertices of an isosceles triangle, then show that

$$z_1^2 + 2z_2^2 + z_3^2 = 2z_2(z_1 + z_3)$$

Hence show that

$$(z_1 + z_3)^2 = 2(z_1 - z_2)(z_2 - z_3)$$

4+1=5

17. (a) Determine the region of the complex plane described by $|z+1| + |z-1| \leq 4$. Illustrate the same with a diagram. 4+1=5

- (b) Define limit of a complex function at a point. Show that

$$\lim_{z \rightarrow z_0} f(z)$$

if it exists, is unique.

1+4=5

18. (a) Prove that the function $|z|^2$ is continuous everywhere but nowhere differentiable except origin. 5

- (b) Show that the function

$$u(x, y) = x^3 - 3xy^2 + 3x^2 - 3y^2 + 1$$

satisfies Laplace equation and determine the corresponding analytic function of which it is the real part.

2+3=5

19. (a) If $f(z) = u(x, y) + iv(x, y)$ is analytic in $D \subseteq \mathbb{C}$, then show that u and v satisfy the Cauchy-Riemann equations in D . 5

- (b) Derive the polar form of Cauchy-Riemann equations. 5

20. (a) Prove Cauchy-Goursat theorem for a triangle. 6

- (b) Evaluate

$$\oint_C \frac{dz}{z-3}$$

where C is the circle $|z-2|=5$. Does the result contradict Cauchy's theorem? Justify. 3+1=4

(6)

21. (a) Prove Cauchy's integral formula. 5

(b) Use Cauchy's integral formula to evaluate

$$\oint_C \frac{\sin \pi z^2 + \cos \pi z^2}{(z-1)(z-2)} dz$$

where C is the circle $|z|=3$. 5

22. (a) State and prove Liouville's theorem. 1+5=6

(b) Prove that every polynomial equation

$$p(z) = a_0 + a_1 z + a_2 z^2 + \dots + a_n z^n = 0$$

 $n \geq 1$ and $a_n \neq 0$ has exactly n roots. 4

23. (a) Prove that an absolutely convergent series is convergent. Is the converse true? Justify. 4+1=5

(b) Prove that the series

$$z(1-z) + z^2(1-z) + z^3(1-z) + \dots$$

converges for $|z| < 1$ and find its sum.

4+1=5

24. (a) Expand $\frac{e^z}{z^3}$ and $\frac{z^3}{e^z}$ in Laurent seriesabout $z=0$. Hence identify the types of singularities in each case. 3+2=5

(7)

(b) Evaluate : 5

$$\int_0^{2\pi} \frac{\cos 3\theta}{5-4\cos\theta} d\theta$$

25. (a) Evaluate

$$\oint_C \frac{2+3\sin \pi z}{z(z-1)^2} dz$$

where C is the square with vertices $3+3i$, $3-3i$, $-3+3i$ and $-3-3i$. 5(b) Given $a > |b|$, show that

$$\int_0^{2\pi} \frac{d\theta}{a+b\sin\theta} = \frac{2\pi}{\sqrt{a^2-b^2}}$$

5
