

REFERENCES

- Agarwal, S. K. (1998). Environmental Biotechnology, 1st Edition, APH Publishing Corporation, New Delhi, India. 267-289.
- Ahluwalia, A. S., Kaur, M. and S. Dua, S. (1989). Physico-chemical characteristics and effects of some industrial effluents on the growth of green algae *Scenedesmus* sp. **Indian J. Environ. Hlth**, 31: 112-119.
- Ahuja, P., Gupta, R. and Saxena, R. K. (1999). Zn⁺ biosorption by *Oscillatoria anguistissima*. **Process Biochem**, 34:77–85.
- Aktar, M. W., Paramasivam, M., Ganguly, M., Purkait, S. and Sengupta, D. (2010). Assessment and occurrence of various heavy metals in surface water of Ganga river around Kolkata: a study for toxicity and ecological impact. **Environ. Monitor. Assess**, 160(1-4): 207-213.
- Ali, M. and Sreekrishnan, T. R. (2001). Aquatic toxicity from pulp and paper mill effluent. **Adv. Environ. Res**, 5: 175-196.
- Amer, R., Shehawy, R., El-Dien, S. S., Serie, M. A. and Shaker, K. (2013). Isolation and characterization of cyanobacterial community including a microcystin-producing *Nostoc* sp. strain in the Nile river, Egypt. **Advances in Microbiology**, 3: 38-46.
- Anagnostidis, K. and Komárek, J. (1989). Modern approach to the classification system of cyanophytes. 3. Oscillatoriales. **Arch Hydrobiol**, 80(Suppl):327-472.
- Angadi, S. B. and Mathad, P. (1994). Effect of chromium and nickel on *Scenedesmus*

quadricauda (Türp.) de Breb. **Phykos**, 33: 99-103.

Anjana, K., Kaushik, A., Kiran, B. and Nisha, R. (2007). Biosorption of Cr (VI) by immobilized biomass of two indigenous strains of cyanobacteria isolated from metal contaminated soil. **Journal of Hazardous Materials**, 148: 383–386.

Ari, A. B., Mel, M., Hasan, M. A. and Karim, M. I. A. (1999). The kinetics and mechanism of lead (II) biosorption by powdered *Rhizopus oligosporus*. **World J. Microbiol. Biotechnol**, 15: 291-298.

Arunakumara, K. K. I. U. and Zhang, X. (2009). Effects of heavy metals (Pb²⁺ and Cd²⁺) on the ultrastructure, growth and pigment contents of the unicellular cyanobacterium *Synechocystis* sp. PCC 6803. **Chinese Journal of Oceanology and Limnology**, 27 (2): 383-388.

Arvik, J. H. and Willson, D. L. (1974). Soil Algae of Eniwetok Atoll, the Marshall Islands. **Pacific Science**, 28(2): 189-190.

Bajguz, A. (2000). Blockade of heavy metals accumulation in *Chlorella vulgaris* cells by 24 epibrassinolide. **Plant Physiol. Biochem**, 38: 797-801.

Balakrishanan, K. (1999). India pulp and paper pollution control. Report, New Delhi.

Battaglia, A., Calace, N., Nardi, E., Petronio, B. M. and Pietroletti, M. (2003). Paper mill sludge-soil mixture: Kinetic and thermodynamic tests of cadmium and lead sorption capability. **Microchemical Journal**, 75: 97-102.

Begam, A. F, Krishnaveni, V. and Chittibabu, S. (2014). Effect of Copper on

cyanobacterium “*Phormidium fragile*” in the walls of historical monuments.

International Journal of ChemTech Research, 6 (11): 4866-4871.

Bérard, A., Dorigo, U., Humbert, J. F. and Martin-Laurent F. (2003). Microalgae community structure analysis based on 18S rDNA amplification from DNA extracted directly from soil as a potential soil bioindicator. ***Agron. Sustain. Dev.***, 25: 285–291.

Bhadury, P. and Wright, P. C. (2004). ***Planta***, 219:561-578.

Bhakta, S., Pattanaik, L., Dutta, P., Sahu, E. and Bastia, A. K. (2014). Diversity of corticolous algae from Similipal biosphere reserve, Mayurbhanj, Odisha. ***Phykos***, 44 (1): 9-16.

Bhatnagar, A. (2015). Assessment of physico-chemical characteristics of paper industry effluents. ***Rasayan J. Chem***, 8 (1):143-145.

Bhimachar, B. S. and David, A. (1946): A study of the effects of factory effluents on the Bhadra river fisheries at Bhadravati. 33rd Indian Sci. Congr Proc. 3: 130.

Bilgrami, K. S. and Siddiqui, E. N. (1980). Effect of industrial pollutants on phytoplankton composition of the river Ganges at Barauni. ***J. Indian Bot. Soc***, 59: 9-10.

Boominathan, M. (2005). Bioremediation studies on dairy effluent using cyanobacteria. Ph.D. Thesis. Bharathidasan University. Tiruchirapalli, Tamil Nadu. India.

Brahmbhatt, N., Patel, R. and Jasrai, R. T. (2013). Heavy metal accumulation in

Oscillatoria sp. induced biochemical response. **Advances in Applied Science Research**, 4(3):182-185.

Brodie, J., John, D. M., Tittley, I., Holmes, M. J. and Williamson, D. B. (2007). Important plant areas for algae. A provisional review of sites and areas of importance for algae in the United Kingdom. **Plantlife International**.

Buzzi, F. (2002). Phytoplankton assemblages in two sub-basins of Lake Como. **Journal of Limnology**, 61: 117-128.

Cairns, J., Dickson, J. K. L. (1971). A simple method for the biological assessment of the effects of waste discharges on aquatic bottom-dwelling organisms. **J. Water Pollut Control Fed**, 43: 755-772.

Carfagna¹, S., Lanza¹, N., Salbitani, G., Basile, A., Sorbo, S. and V. Vona¹. (2013). Physiological and morphological responses of Lead or Cadmium exposed *Chlorella sorokiniana* 211-8K (Chlorophyceae). **Springer Plus**, 2:147.

Carvalho, D. R. P., Chong, K. H. and Volesky, B. (1995). Evaluation of Cd, Cu and Zn biosorption in two-metal systems using an algal biosorbent. **Biotechnol Prog**, 11:39-44.

Cascallar, L., Mastranduono, P., Mosto, P., Rheinfeld, M., Santiago, J., Tsoukalis, C. and Wallace, S. (2003). Periphytic algae as bioindicators of nitrogen inputs in lakes. **Journal of Phycology**, 39(1): 7-8.

Castenholz, R.W. and Waterbury, J. B. (1989). Oxygenic photosynthetic bacteria, group É. Cyanobacteria. In Bergey's Manual of Systematic Bacteriology (Eds Staley, J. N. et al.), Williams and Wilkins Co., Baltimore. 1710–1728.

- Cazzonelli, C. I. (2011). Carotenoids in nature: insights from plants and beyond. ***Functional Plant Biology***, (38) 833–847.
- Cecal, A., Humelnicu, D., Rudic, V., Cepoi, L. and Cojocari, A. (2012). Algae. ***Central***, 1669-1675.
- Celekli, A. and Kulkoyluoglu, O. (2007). On the relationship between ecology and phytoplankton composition in a Karstic spring (Cepni, Bolu). ***Ecological Indicator***, 7: 497- 503.
- Cerniglia, C. E., Van, B. C. and Gibson, D. T. (1980a). Metabolism of naphthalene by the cyanobacterial *Oscillatoria* sp. strain JCM. ***J. Gen. Microbiol***, 116: 485-494.
- Cerniglia, C. E., Van, B. C. and Gibson, D. T. (1980b). Oxidation of naphthalene by cyanobacteria and microalgae. ***J. Gen. Microbiol***, 116: 495-500.
- Chacko, P. I. and Ganapati, S. V. (1949). Some observations on the Adyar river, special reference to its hydrobiological conditions. ***Indian Geogr. J***, 24(3): 35-49.
- Chandra, R., Singh, S. and Raj, A. (2006). Seasonal bacteriological study of Gola River water contaminated with pulp paper mill waste in Uttaranchal, India. ***Environmental Monitoring Assessment***, 118: 393-406.
- Chidambaram, P. S. (2004). Evaluation of biocleaning efficiency of few cyanobacterial strains in fish farm effluents. In: Arvind Kumar (ed.) *Environmental biotechnology*. Daya publishing house, 1123/74, Deva Ram Park, Tri Nagar, Delhi-110035. pp. 22-27.

- Chonudomkul, D., Yongmanitchai, W., Sookpreedee, C., Yongmanitchai, P., Arunpairojana, W. and Kermanee, P. (1998). Diversity of Blue-Green Algae and Green Algae in the deciduous dipterocarp forest at Huai Kha Khang wildlife sanctuary. *Kasetsart J. (Nat. Sci.)*, 32: 339 – 346.
- Cohen, Y. (2002). Bioremediation of oil by marine microbial mats. *Int. Microbiol*, 5: 189-193.
- Costa, M. (1997). Toxicity and carcinogenicity of Cr (VI) in animal models and humans. *Crit Rev Toxicol*, 27: 431-442.
- Dahms, H. U., Xu, Y., Pfeiffer, C. (2006). *Biofouling*. 22:317-327.
- Daniel, S. F., Peters, T., Dean Adams, D. V., and J of Middlebrooks, E. (1979). *Water Res*, 13 (305).
- Darnall, D. W., Greene, B., Henzl, M. T., Hosea, J. M. and Pherson, R. A. (1986). Selective recovery of gold and other metal ions from an algal biomass. *Environ Sci Technol*, 20: 206-208.
- Das, S. (2012). Biosorption of chromium and nickel by dried biomass of cyanobacterium *Oscillatoria laete-virens*. *International Journal of Environmental Sciences*, 3 (1).
- Das, H. and Dutta, A. (2012). Effects of industrial effluents on ecology of a wetland of Nalbari district, Assam with special reference to Ichthyofauna. *The ecoscan*, 1:147-153.

- Dassenakis, M., Pavlidou, A. and Kloukiniotou, M. (1998). Effect of multiple source pollution on small Mediterranean river. ***Applied Geochemistry***, 13: 197-211.
- David, N. S and Rajan M. R. (2014). Cyanobacteria as a potential source of phycoremediation from textile industry effluent. ***J Bioremed Biodeg***, 5:7.
- Day, J. G., Benson, E. E. and Fleck, R. A. (1999). In vitro culture and conservation of microalgae: Applications for Aquaculture, Biotechnology and Environmental Research. In Vitro Cell. Dev. ***Biol.-Plant***, 35:127-136.
- Deb, S., Sarma, B., Rout, J. and Sengupta, M. (2013). Algal diversity in soil crusts of Assam University, Silchar Campus (North East India). ***Phykos***, 43 (1): 56-67.
- Deb, S., Rout, J., Sengupta, M. and Chakraborty, B. (2015). Biochemical profile and antimicrobial activity of a cyanobacterium *Scytonema tolypothrichoides* isolated from acidic rice field soil of Cachar district (Assam), India. ***International Journal of Life Science & Pharma Research***, 5(2): 21-31.
- Deka, S. and Yamin, S. (2006). Utilization of lime sludge waste from paper mills for fish culture. ***Current science***, 90 (8).
- Campo, D. A. J., García-González, M. and Guerrero, M. G. (2007). Outdoor cultivation of microalgae for carotenoid production: current state and perspectives. ***Appl. Microb. Biotechnol***, 74: 1163–1174.
- Denicola, D. M., Eyto, E. D, Wemaere, A. and Irvine, K. (2004). Using epilithic algal communities to assess trophic status in Irish lakes. ***Journal of Phycology***, 40(3): 481-495.

- Deng, R. and Chow, T. J. (2010). Hypolipidemic, antioxidant and antiinflammatory activities of microalgae *Spirulina*. ***Cardiovasc. Ther***, 28(4): 33–45.
- Desmorieux, H. and Decaen, N. (2005): Convective drying of *Spirulina* in thin layer. ***Journal of Food Engineering***, 66: 497–503.
- Desikachary, T. V. (1959). Cyanophyta. ICAR: New Delhi.
- Devi, N. L., Yadav, I. C., Shihua, Q. I., Singh, S. and Belagali, S. L. (2011). Physicochemical characteristics of paper industry effluents—a case study of South India Paper Mill (SIPM). ***Environ Monit Assess***, 177:23–33.
- Dias, M. A. (2002). Removal of heavy metals by an *Aspergillus terreus* strain immobilized in polyurethane matrix. ***Lett. Appl. Microbiol***, 34(1): 46-50.
- Drobac, A.V., Dulic, C. T., Stojanovic, D. S., Svircev, Z. B. (2007). The importance of extremophile cyanobacteria in the production of biologically active compounds. ***Proc. Nat. Sci, Matica Srpska Novi Sad***, 112: 57-66.
- Dubey, S. K., Dubey, J., Viswas, A. J. and Tiwari, P. (2011). Studies on cyanobacterial biodiversity in paper mill and pharmaceutical industrial effluents. ***British Biotechnology Journal***, 1(3): 61-67.
- Duma, A., Lalibertk, G., Lessard, P., Noiiea, V. J. (1998). Biotreatment of fish farm effluents using the cyanobacterium *Phormidium bohneri*. ***Aquacult. Eng***, 17: 57-68.

- De Philippis, R., Paperi, R., Sili, C. and Vincenzine, M. (2003). Assessment of the metal removal capability of two capsulated cyanobacteria, *Cyanospira capsulate* and *Nostoc* PCC 7936. **J. of Appl. Phy**, 15(2-3): 155-161.
- de la Noüe, J., Laliberte, G. and Proulx, D. (1992). Algae and wastewater. **J. Appl. Phycol**, 4: 247- 254.
- Ector, L. and Rimet, F. (2005). Using bioindicators to assess rivers in Europe: An overview In; Modelling Community Structure in Freshwater Ecosystems (Ed. Lek, S, Scardi, M., Verdonchot, P.F.M. Descy, J.P. and Y.S. Park.). *Springer*, New York. 7-19.
- El-Bestawy, E. (2008). Treatment of mixed domestic–industrial wastewater using cyanobacteria. **J Ind Microbiol Biotechnol**, DOI 10.1007/s10295-008-0452-4.
- El-Enany, A. E. and Issa, A. A. (2000). Cyanobacteria as a biosorbent of heavy metals in sewage water. **Environmental Toxicology and Pharmacology**, 8: 95–101.
- El-Gamal, A.D. (1995). Systematical studies on the algae isolated from some cultivated areas and laboratory studies on the effect of light, temperature and humidity on three selected soil algae. Ph.D. Thesis, Fac. of Sci., Al-Azhar University, Cairo, Egypt.
- Ellis, B. E. (1977). Degradation of phenol compounds by freshwater algae. **Plant Sci. Lett**, 8: 213-216.
- Elias, L. M., Silva-Stenico, M. E., Alvarenga, D. O., Rigonato, J., Fiore, M. F. and de Lira, S. P. (2015). Molecular and Chemical Analyses of Cyanobacterial Blooms in Tropical Lagoons from Southeast Brazil. **Journal of Water Resource and**

Protection, 7: 50-71.

- El-Sheekh, M. M., El-Naggar, A. H., Osman, M. E. H. and El-Mazaly, E. (2003). Effect of Cobalt on growth, pigments and the photosynthetic electron transport in *Monoraphidium minutum* and *Nitzschia perminuta*. **Braz. J. Plant Physiol**, 15: 159- 166.
- El-Sheekh1, M. M., El-Otify, A. M. and Saber, H. (2011). Alterations in proteins and amino acids of the Nile cyanobacteria *Pseudanabaena limnetica* and *Anabaena wisconsinense* in response to industrial wastewater pollution. **Braz. Arch. Biol. Technol**, 54 (4): 811-820.
- Englund, B. (1978). Algal nitrogen fixation on the lava field of Heimaey, Iceland. **Oecologia (Berlin)**, 34:45–55.
- Ezhilarasi, A. and Anand, N. (2010). Characterization of cyanobacteria within the genus *Anabaena* based on SDS-page of whole cell protein and RFLP of the 16s rRNA gene. **ARPN Journal of Agricultural and Biological Science**, 5(4): 44-51.
- Fassett, R. G. and Coombes, J. S. (2011). Astaxanthin: a potential therapeutic agent in cardiovascular disease. **Marine Drugs**, (9): 447–465.
- Fathi, A. A., Zaki F. T. and Ibraheim, H. A. (2005). Response of tolerant and wild type strains of *Chlorella vulgaris* to copper with special references to copper uptake system. **Protistology**, 4: 73-78.
- Fazeli, M. S., Sathyanarayan, S. and Satish, P.N. (1991). Effect of paper mill effluents on accumulation of heavy metals in coconut trees near Nanjangud, Mysore district, Karnataka, India. **Environmental Geology and Water Sciences**, 17(1): 47-50.

- Ferdous, Z., Akter, S., Hasan, M., Begum, R. A. and Shahajahan, R. M. (2012). Phytoplankton diversity and abundance in relation to Pollution levels in the Hazaribagh tannery effluent sewage water of the river Buriganga. Bangladesh. **J. Zool**, 40(1): 121-128.
- Ferreira, H. A., Torres, D. P. V. and Juarez-Oropeza, M. A. (2010). Hepatoprotective effects of *Spirulina maxima* in patients with nonalcoholic fatty liver disease: a case series. **J Med Case Reports**, 4 (103).
- Fleming, E. D., Castenholz, R. W. (2007). *Environ. Microbiol*, 9:1448-1455.
- Fogg, G. E., Stewart, W. D. P., Fay, P. and Walsby, A. E. (1973). The Blue-Green Algae. Academic Press, London & New York: 459.
- Font, X., Caminal, G., Gabarrell, X., Romero, S. and Teresa, M.. Vicent black liquor detoxification by laccase of *Trametes versicolor* pellets. **J Chem Technol Biotechnol**, 78:548–554.
- Ganapathy, S. G., Baskaran, R. and Mohan, P. M. (2011). Microbial diversity and bioremediation of distilleries effluent. **Journal of Research in Biology**, 1 (3): 153-162.
- Gantar, M., Simovic, D., Djils, S., Gonzalez, W. W. and Miksovska, J. (2012). Isolation, characterization and antioxidative activity of C-phycocyanin from *Limnothrix* sp. Strain 37-2-1. **J Biotechnol**, 159 (1-2): 21-26.
- Garba, S. and Abubakar, M. (2006). Level of heavy metals in terrestrial crabs. **Best Journal**, 3(4):77-80.

- Garg, A., Narayana, V. V. V. S. S., Chaudhary, P. and Chand, S. (2004). Treatment of pulp and paper mill effluent. *Journal of scientific and industrial research*, 63:667-671.
- Geng, X., Deng, J. and Zhang, S.Y. (2006). Effects of hot-pressing parameters and wax content on the properties of fiberboard made from paper mill sludge. *Wood Fiber Sci*, 38(4): 736-741.
- Ghadai, A. K., Sahoo, S. and Raut, S. (2010). Agroecological survey of Cyanobacterial population in paddy field soils of Gunupur. *International Journal of Agriculture Sciences*, 2: 28-32.
- Gietler, L. (1932). Cyanophyceae 14. In *Kryptogamenflora von Deutschland Österreich und der Schweiz* by Rabenhorst L Leipzig. Akademische. Verlagsgesellschaft.
- Gimmler, H., Degenhardt, B. (2000). Alkaliphilic and alkalitolerant algae. In: Rai, L. C, Gaur, J. P., eds. Algal adaptation to environmental stresses: physiological, biochemical and molecular approaches. Springer Verlag (in press).
- Giovannoni, S. J., Turner, S., Olsen, G. J., Barns, J., Lane, D. J. and Pace, N. R. (1988). Evolutionary relationships among cyanobacteria and green chloroplasts. *Journal of Bacteriology*, 170: 3584–3592.
- Gloyns, E. F. (1971). Waste stabilization ponds. Monogr. Ser. W.H.O. 61: 22.
- Goel, S., Gautam, M. and Kaushik, B. D. (1997). Nitrogen fixation and protein profiles of halotolerant *Nostoc muscorum*-R strain isolated from rice fields and ARM-221 strain. *Indian J Expt Biol*, 35:746–750.
- Greene, B., Mc Pherson, R. and Darnall, D. (1987). Algal sorbents for selective metal ion recovery (Patterson, J. W and Passion, R. Eds). Lewis Publishers, Chelsea, MI. 315–338.

- Greenfield, R. E. (1925). Comparison and bacteriological examinations made on the Illinois river during a season of low and a season of high water. 1923-24. *Illinois State Wat. Sur. Bull*, 10: 9-33.
- Guedes, A. C., Amaro, H. M. and Malcata, F. X. (2011). Microalgae as sources of carotenoids. *Mar. Drugs*, (9): 625-644.
- Gugger, M., Lyra, C., Henriksen, P., Couté, A., Humbert, J. and Sivonen, K. (2002) Phylogenetic comparison of the cyanobacterial genera *Anabaena* and *Aphanizomenon*. *Int J Syst Evol Microbiol*, 52: 1867-1880.
- Gupta, A. B. and Arora, A. (1978). Morphology and physiology of *Lyngbya nigra* with reference to copper toxicity. *Physilo Plant*, 44: 215-220.
- Gürtler, V. and Mayall, B. C. (2001) Genomic approaches to typing, taxonomy and evolution of bacterial isolates. *Int J Syst Evol Microbiol*, 51: 3-16.
- Hahn, A. and Kusserow, H. (1998). Spatial and temporal distribution of algae in soil crusts in the Sahel of W Africa: Preliminary results. *Willdenowia*, 28: 227-238.
- Hamdy, A. A. (2000). Biosorption of heavy metals by marine algae. *Curr. Microbiol*, 41: 232-238.
- Hart, B. A. and Scaife, B. D. (1997) Toxicity and bioaccumulation of cadmium in *Chlorella pyrenoidosa*. *Environ. Res*, 14: 401-413.
- Hašler, P., Dvořák, P., Johansen, J. R., Kitner, M., Ondřej, V. and Pouličková, A. (2012). *Fottea*, 12(2): 341–356.

- Henciya S., Shankar, M. A. and Malliga, P. (2013). Decolorization of textile dye effluent by marine cyanobacterium *Lyngbya* sp. BDU 9001 with coir pith. ***International Journal of Environmental Sciences***, 3(6): 1909-1918.
- Hess, A., Zarda, B., Hahn, D., Hanner, A. and Stax, D. (1997). Insitu analysis of denitrifying toluene and m-xylene degrading bacteria in a diesel fuel contaminated laboratory aquifer column. ***Applied and Environmental Microbiology***, 63: 2136-2141.
- Hoffmann, L., Komárek, J. and Kastovsky, J. (2004). System of cyanoprocaryotes (cyanobacteria)-state. ***Algol. Stud.***, 117: 95-115.
- Hong, C. and Shan-shan, P. (2005). Bioremediation potential of *Spirulina*: toxicity and biosorption studies of lead. ***Journal of Zhejiang University Science***, 6(3):171-174.
- Horincar, V. B., Parfene, G. and Bahrim, G. (2011). Evaluation of bioactive compounds in extracts obtained from three romanian marine algae species. ***AC Romanian biotechnological letters***. 16 (6): 71-78.
- Hrouzek, P., Lukešová, A., Mareš, J. and Ventura, S. (2012). Description of the cyanobacterial genus *Desmonostoc* gen. nov. including *D. muscorum* comb. nov. as a distinct, phylogenetically coherent taxon related to the genus *Nostoc*. ***Fottea***, 13(2): 201–213.
- Huq, S. M. I. (1998). Critical Environmental Issues Relating to tanning Industries in Bangladesh. Department of Soil Science, University of Dhaka, 1000, Bangladesh. In: Naidu, R., Willett, I. R., Mahimarajah, S., Kookana, R. and Ramasamy, K. (eds.), 2000. Towards Better Management of Soils Contaminated with Tannery

waste, Proceedings of a workshop held at the Tamil Nadu Agricultural University, Coimbatore, India, 31st January to 4 February, 1998.
www.aciar.gov.au/files/node/319/PRO088%20part%201.pdf.

Imani, S., Rezaei-Zarchi, S., Hashemi, M., Borna, H., Javid, A., Zand, A. M. and Abarghouei, H. B. (2011). Hg, Cd and Pb heavy metal bioremediation by *Dunaliella* alga. ***Journal of Medicinal Plants Research***, 5(13): 2775-2780.

Indian National Science Academy (INSA). (2011) New Delhi.

Ingle, S. T. (2000). Pollution potential of pulp and paper mill effluent. ***Bulletin of Environmental Science***, 18:21–24.

Inthom, D. (2001). Removal of heavy metal by using microalgae. In: Kojima H. and Lee Y.K. (Eds.), *Photosynthetic Microorganisms in Environmental Biotechnology*. Springer-Verlag, Hong Kong. 111-135.

Jafari, N. and Alavi, S.S. (2010). Phytoplankton community in relation to physico-chemical characteristics of the Talar river, Iran. ***J. Appl. Sci. Environ. Manage***, 14 (2) 51 – 56.

Jain, V. K. (1978). Studies on effect of cadmium on the growth pattern of *Phaseolus aureus* varieties, Absi. ***I. Bot. Conf. JIBS***, 57-84.

Jeganathan, K. (2006). Bioremediation studies on oil refinery industry effluent using *Oscillatoria earli* Gartner. M.Phil. dissertation. Bharathidasan University. Tiruchirapalli.

- Johnson, E. J. (2002). The role of carotenoids in human health. *Nutrition in Clinical Care*, (5). 56–65.
- Jortner, J. and Pullman, B. (1999). Perspectives In photosynthesis. *Kluver Academic Publishers*. 121-131.
- Kabata-Pendias, A. and Pendias, H. (1992). Trace elements in soils and plants. 2nd edition, CRC Press, Boca Raton, FL. 365.
- Kalavathi, D. F., Uma, L. and Subramanian G. (2001). Degradation and metabolization of the pigment-melanoidin in distillery effluent by the marine Cyanobacterium *Oscillatoria boryana* BDU 92181. *Enzyme Microb. Technol*, 29: 246-251.
- Kalinowska, R. and Pawlik-Skowronska, B. (2008). Metal Resistance of Soil Algae (Chlorophyta) Occurring in post-flotation Zn/Pb-and Cu-Tailing Ponds. *Pol. J. Ecol*, 56(3): 415-430.
- Kannel, P. R., Lee, S., Lee, Y. S., Kannel, S. R. and Khan, S. P. (2005). Application of water quality indices and dissolved oxygen as indicators for river water classification and urban impact assessment. *Environ monit assess*, 132:1-3.
- Kansal, S. K., Singh, M. and Sud, D. (2008). Effluent quality at kraft/soda agro-based paper mills and its treatment using a heterogeneous photocatalytic system. *Desalination*, 228: 183–190.
- Kar, D., Sur, P., Mandal, S. K., Saha, T., Kole, R. K. (2008). Assessment of heavy metal pollution in surface water. *Int. J. Environ. Sci. Tech*, 5 (1): 119-124.

- Karrasch, B., Parra, O., Cid, H., Mehrens, M., Pacheco, P., Urrutia, R., Valdovinos, C. and Zaror, C. (2006). Effects of pulp and paper mill effluents on the microplankton and microbial self-purification capabilities of the Bibio river. ***Chile Sci. Total Environ***, 359: 194-208.
- Karuppaiah, L., Suntharam, R. and Perumal, M. (2013). Bioremediation of tannery effluent using *Lyngbya* sp. with coir pith. ***International Journal of Science and Research***, 4(1): 2736-2743.
- Kato, T., Watanabe, M. F. and Watanabe, M. (1991). Allozyme divergence in *Microcystis* (Cyanophyceae) and its taxonomic interference. ***Arch. Hydrobiol. Algolog. Stud. Stuttgart***, 64: 129-140.
- Kaushik, A., Kiran, B. and Rani, N. (2008). Chromium (VI) tolerance in two halotolerant strains of *Nostoc*. ***Journal of Environmental Biology***, 29(2) 155-158.
- Kaushik, B. D. (1985). Effect of native algal flora on nutritional and physico-chemical properties of sodic soils. ***Acta Bot Indica***, 13:143–147.
- Kaushik, B. D. (1989) Reclamative potential of cyanobacteria in salt-affected soils. ***Phykos***, 28:101–109.
- Kaushik, B. D. (1994) Algalization of rice in salt-affected soils. ***Ann Agril Res***, 14:105–106.
- Kaushik, B. D. and Subhashini, D. (1985). Amelioration of salt affected soils with blue-green algae. II Improvement in soil properties. ***Proc Indian Natl Sci Acad***, Part B 51:386–389.

- Kaushik S, Sahu, B. K, Lawania, R. K. and Tiwari, R. K. (1999). Occurrence of heavy metals in lentic water of Gwalior region. ***Pollution Res***, 18:137–140.
- Kaushik, G. (Ed.). (2015). Bioremediation of industrial effluents: Distillery effluent. ***Applied Environmental Biotechnology: Present Scenario and Future Trends***, 29(17): 19-28.
- Kaushik, G. (ed.). (2015). Applied Environmental Biotechnology: Present Scenario and Future Trends. 19 DOI 10.1007/978-81-322-2123-4_2, © **Springer India**.
- Keshari, N. and Adhikary, S. P. (2014). Diversity of cyanobacteria on stone monuments and building facades of India and their phylogenetic analysis. ***International Biodeterioration & Biodegradation***, 90: 45-51.
- Kharkongor, D. and Ramanujam, P. (2014). Diversity and species composition of subaerial algal communities in forested areas of Meghalaya, India. ***International Journal of Biodiversity***, 2014: 1-10.
- Khaybullina¹, L.S., Gaysina, L. A., Johansen, J. R. and Krautová, M. (2010). Examination of the terrestrial algae of the Great Smoky Mountains National Park, USA. ***Fottea***, 10(2): 201–215.
- Kiran, B., Kaushik, A. and Kaushik, C. P. (2007). Biosorption of Cr (VI) by native isolate of *Lyngbya putealis* (HH-15) in the presence of salts. ***Journal of Hazardous Materials***, 141(3): 662-667.
- Kiran, B. and Thanasekaran, K. (2011). Metal tolerance of an indigenous cyanobacterial strain, *Lyngbya putealis*. ***International biodeterioration & biodegradation***, 65: 1128-1132.

- Kirkwood, A., E. Nalewajko, C. and Fulthorpe, R. R. (2001). The occurrence of cyanobacteria in pulp and paper waste-treatment systems. *Can. J. Microbiol*, 47: 761–766.
- Koksoyi, H. and Aslim, B. (2013). Determination of Herbicide Resistance in Aquatic cyanobacteria by probit analysis. *Journal of Applied Biological Sciences*, 7 (2): 37-41.
- Kolkwitz, R. and Marson, M. (1908). Ökologie der pflanzlichen Saprobien. *Ber. Deut. Bot. Ges*, 26: 505-519.
- Komárek, J. (2006). Cyanobacterial taxonomy: Current problems and prospects for the integration of traditional and molecular approaches. *Algae*, 21(4): 349-375.
- Kong, I. C., Bitton, G., Koopman, B., Jung, K. H. (1995). Heavy metal toxicity testing in environmental samples. *Rev. Environ. Contam. T*, 142: 119–149.
- Korelusová, J. (2008): Phylogeny of heterocytous cyanobacteria (Nostocales and Stigonematales), MSc. Thesis. Faculty of Science, University of South Bohemia, České Budějovice, Czech Republic.
- Kortekaas, S., Wijngaarde, R. R., Klomp, J. W., Lettinga, G. and Field, J. A. (1998). Anaerobic treatment of hemp thermomechanical pulping wastewater. *Water Res*, 32: 3362–3370.

- Kotteswari, M., Murugesan, S., Kamaleswari, J. and Veeralakshmi, M. (2007). Biomanagement of diary effluent by using cyanobacterium. **Indian hydrobiology**, 10: 109-116.
- Kott, Y., and Wachs, A. M. (1964), Amino acid composition of bulk protein of *Euglena* grown in wastewater. **Appl. Microbiol**, 12: 292-294.
- Kroll, R.G. (1990). Alkalophiles. In: C. Edwards (Ed.). **Microbiology of Extreme Environments**, Mc Graw Hill Publishing Co. 53-92.
- Kuenen, J. G., Jongensen, B. B. and Revsbech, N. P. (1986). Oxygen Microprofiles of Trickling filter biofilms. **Water Res**, 20: 1589-1598.
- Kulasooriya, S. A. (2011). Cyanobacteria: Pioneers of Planet Earth. **Ceylon Journal of Science (Bio. Sci.)**, 40 (2): 71-88.
- Kumar, H. D., Bisana, L. M., Rana, B. C. and Shama, V. (1974). Ecological studies on algae isolated from the effluents of an oil refinery, a fertilizer factory and a Brewery. **Indian. J. Environ. Hlth**, 16(3): 247 -255.
- Kumar, J. I. N., Kumar, R. N. and Bhatt, I. (2008). Metabolic response and nutrient removal by *Tolypothrix tenuis* (kutz.) from fertilizer industrial effluent. **Jr. of Industrial Pollution Control**, 24 (1):1-8.
- Kumaran, N. S., Sundaramanicam, A. and Bragadeeswaran, S. (2011). Adsorption studies on heavy metals by isolated Cyanobacterial strain (*Nostoc* sp.) from Uppanar Estuarine water, Southeast Coast of India. **Journal of Applied Sciences Research**, 7(11): 1609-1615.

- Kuzhali, S. S., Manikandan, N. and R.Kumuthakalavalli, R. (2012). Physico chemical and biological parameters of paper industry effluent. *J. Nat. Prod. Plant Resour*, 2 (3): 445-448.
- Lacour P. (2005). Pulp and paper markets in Europe. Prepared for the United Nations Economic Commission for Europe and the Food and Agriculture Organization of the United Nations.
- Lemberge, R. and Legge, J. W. (1949). Hematin compounds and bile pigments. Interscience, New York.
- Lemes-Da-Silva, N. M., Branco, L. H. Z. and Júnior, O. N. (2012). Corticolous cyanobacteria from tropical forest remnants in northwestern São Paulo State, Brazil. *Brazilian Journal of Botany*, 35(2):169-179.
- Lengke, M. F., Ravel, B., Fleet, M. E., Wanger, G., Gordon, R. A. and Southham, G. (2006). Mechanisms of gold bioaccumulation by filamentous cyanobacteria from gold (III)- chloride complex. *Environ. Sci. Technol*, 40: 6304-6309.
- Li, L., Lu, S. H., Jiang, T. and Li, X. (2013). Seasonal variation of size-fractionated phytoplankton in the Pearl River estuary. *Chinese Science Bulletin*, 58(19): 2303-2314.
- Liehr, S. K., Chen, H. J. and Lin, S. H. (1994). Metals removal by algal biofilms. *Water Sci Technol*, 30: 59-68.
- Likon, M. and Trebše, P. (2012). Recent advances in paper mill sludge management, industrial waste, Prof. Kuan-Yeow Show (Ed.). *In Tech. ISBN*: 978-953-51-0253-3.
- Lincoln, E. P., Wilkie, A. C. and French, B. T. (1996). Cyanobacterial process for renovating dairy wastewater. *Bioengineering*, 10: 63-68.

- López-Bautista, J. M., Rindi, F. and Casamata, A. D. (2007). The systematics of subaerial algae. In Cell origin, life in extreme habitats and Astrobiology. Algae and Cyanobacteria in extreme environments (J. Sechbach, Ed.). *Springer*, Netherlands. 601-617.
- Lukešova, A. (1993). Soil algae in four secondary successional stages on abandoned fields. *Algological Study*, 71: 81–102.
- Lyra, C., Suomalainen, S., Gugger, M., Vezie, C., Sundman, P., Paulin, L. and Sivonen, K. (2001). Molecular characterization of planktic cyanobacteria of *Anabaena*, *Aphanizomenon*, *Microcystis* and *Planktothrix* genera. *Int J Syst Evol Microbiol*, 51: 513-526.
- Lyra, C., Laamanen, M., Lehtimäki, J. M., Surakka, A. and Sivonen, K. (2005) Benthic cyanobacteria of the genus *Nodularia* are non-toxic, without gas vacuoles, able to glide and genetically more diverse than planktonic *Nodularia*. *Int J Syst Evol Microbiol*, 55: 555- 568.
- Ma, M., Zhu, W., Wang, Z. and Witkaamp, G.J. (2003). *Aquat.Toxicol*, 63: 221-228.
- Mahadev, J. and Hosamani, S. P. (2005). Algae for biomonitoring of organic pollution in two lakes of Mysore city. *Nat environ pollut. Technol*, 4:97-99.
- Mahar, M. A., Jafri, S. I. H. and Leghari. S. M. (2000). Studies on water chemistry and fish production of Manchar lake, Dadu, Sindh, Pakistan. Pakistan *J. Biol. Sci*, 3(12): 2151-2153.

- Maheshwari, R., Rani, B., Saxena, A., Prasad, M. and Singh, U. (2012). Analysis of effluents released from recycled paper industry. *Journal of Advanced Scientific Research*, 3(1): 82-85.
- Mallick, N. (2002). Biotechnological potential of immobilized algae for wastewater N, P and metal removal: a review. *BioMetals*, 15: 377–390.
- Manahan, S. E., (1997), Environmental Science and Technology. Leacis Publishers.
- Manchanda, H. and Kaushik, A. (2000). Algal flora of the aridisols of Rohtak and salt-tolerance of the indigenous cyanobacteria. *Tropical ecology*, 41(2): 217-223.
- Manoharan, C. and Subramanian, G. (1992). Interaction between papermill effluent and the cyanobacterium *Oscillatoria pseudogeminata* var. *unigranulata*. *Poll Res*, 11: 73-84.
- Manoharan, C. and Subramanian, G. (1992). Sewage-cyanobacterial interaction –A case study. *IJEP*, 12: 254-258.
- Manoharan, C. and Subramanian, G. (1993). Feasibility studies on using cyanobacteria in Ossein effluent treatment. *Indian J Environ Health*, 35: 88-96.
- Marsh, M. C. (1907). The effect of some industrial effects on fishes. *Wat. Supp. and Irrig*, Paper No. 192, U.S. Geol. 337-348.
- Marquardt, J. and Palinska, K. A. (2007). Genotypic and phenotypic diversity of cyanobacteria assigned to the genus *Phormidium* (Oscillatoriales) from different habitats and geographical sites.
- Mataloni, G., Tell, G. and Wynn-Williams, D. D. (2000). Structure and diversity of soil algal communities from Cierva Point (Antarctic Peninsula). *Polar Biol*, 23: 205-211.

- Mathur, R. M., Thapliyal, B. P. and Singh, K. (2009). Challenges confronting Indian Paper Industry in changing Scenario. Central Pulp and Paper Research Institute, Saharanpur. U.P. *IPPTA J*, 21 (3).
- Mathur, R. M., Panwar, S., Gupta, M. K., Endlay, N. and Kukarni, A. G. (2004). Agro-based pulp and paper mills: environmental status, issues and challenges and the role of Central Pulp and Paper Research Institute. In Tewari, PK (Ed.), Liquid asset, proceedings of the Indo-EU workshop on promoting Efficient Water Use in Agro Based Industries. TERI Press, New Delhi, India. 99–114.
- Medhi, U. J., Talukdar, A. K. and Deka, S. (2011). Impact of paper mill effluent on growth and development of certain agricultural crops. *Journal of Environmental Biology*, 32: 185-188.
- Megharaj, M, Madhavi, D. R., Sreenivasulu, C., Umamaheswari, A. and Venkateswarlu, K. (1994). Biodegradation of methyl parathion by soil isolates of microalgae and cyanobacteria. *Bull. Environ. Contamin. Toxicol*, 53: 292-297.
- Metting, B. (1981). The systematics and ecology of soil algae. *Bot. Rev*, 47: 195–312.
- Middepogu, A., Murthy, S. D. S. and Reddy, B. P. (2012). Structural organization and functions of phycobiliproteins in cyanobacteria. *International Journal of Plant, Animal and Environmental Sciences*, 2 (2).
- Miner, R. (1991). Environmental considerations and information needs associated with an increased reliance on recycled fiber. *Journal of analytical and applied pyrolysis*, 86: 66-73.
- Mishra, A., Tripathi, C. P. M., Dwivedi, A. K. and V. K. Dubey. (2011). Acute toxicity

- and behavioral response of freshwater fish, *Mystus vittatus* exposed to pulp mill effluent. ***Journal of Environmental Chemistry and Ecotoxicology***, 3(6): 167-172.
- Modak, J. M and Natarajan, K. A. (1995) Biosorption of metals using nonliving biomass- a review. ***Minerals and Metallurgical Processing***, 12: 189-196.
- Monte, M. C., Fuente, E., Blanco, A. and Negro, C. (2009). Waste management from pulp and paper production in the European Union. ***Waste Manag***, 29:293-308.
- Miranda, J., Krishnakumar, G. and Gonsalves, R. (2012). Cr⁶⁺ bioremediation efficiency of *Oscillatoria laete-virens* (Crouan & Crouan) Gomont and *Oscillatoria trichoides* Szafer: kinetics and equilibrium study. ***Journal of Applied Phycology***, 24(6):1439-1454.
- Mishra, A., Tripathi, C. P. M., Dwivedi, A. K. and Dubey, V. K. (2011). Acute toxicity and behavioral response of freshwater fish, *Mystus vittatus* exposed to pulp mill effluent. ***Journal of environmental chemistry and ecotoxicology***, 3(6): 167-172.
- Mukherjee, D. and Saha, N. C. (2015). A study on the effects of pulp and paper mill effluents on the water quality and fish diversity of Hooghly river for determination of its ecological health. ***International journal of scientific research***, 4(6): 73-77.
- Murugesan, A. G., Maheswari, S. and Bagirath, G. (2008). Biosorption of Cadmium by live and immobilized cells of *Spirulina Platensis*. ***Int. J. Environ. Res***, 2(3): 307-312.
- Muwafq, H. M. and Bernd, M. (2006). Toxicity of heavy metals on *Scenedesmus quadricauda* (Turp.) de brebisson in batch cultures. ***Environ. Sci. Pollut. Res.***, 13: 98-104.
- Muyzer G, de Waal E. C. and Uitterlinden, A. G. (1993). Profiling of complex microbial

populations by denaturing gradient gel electrophoresis analysis of polymerase chain reaction-amplified genes coding for 16S rRNA. ***Appl Environ Microbiol***, 59:695-700.

Mvula, E. and Sonntag, V. C. (2003). Ozonolysis of phenols in aqueous solution. ***Org. Biomol. Chem***, 1: 1749-1753.

Nagasathya, A. and Thajuddin, N. (2008). Cyanobacterial diversity in the hypersaline environment of the salt pans of southern coast of India. ***Asian J. Plant Sci***, 7:473-478.

Nagasathya, A. and Thajuddin, N. (2008). Discolourization of Paper Mill Effluent Using Hypersaline Cyanobacterium. ***Research Journal of Environmental Sciences***, 2 (5): 408-414.

Nanda, S., Sarangi, P. K. and Abraham, J. (2010). Cyanobacterial remediation of industrial effluents I. Tannery effluents. ***New York science journal***, 3(12): 32-36.

Nandhini, P., Bela, R. B. and Malliga, P. (2014). Efficacy of marine cyanobacterium *lyngbya* sp. 90901 with ground nut shell in textile dye industry effluent. ***International Journal of Research in Applied, Natural and Social Sciences***, 2(7): 121-132.

Narro, M. L., Cerniglia, C. E., Van, B. C. and Gibson, D. T. (1992). Metabolism of phenanthrene by the Marine cyanobacterium *Agmenellum quadruplicate* PR-6. ***Appl. Environ. Microbiol***, 58: 1351-1359.

Natural and Accelerated Bioremediation Research (NABIR) Program, Office of Biological and Environmental Research, Office of Science, U.S. Department of Energy. What is Bioremediation. (2003). 9.

- Neel, J. K, Dermott, M. and Monday, C. A. (1961). Experimental lagooning of raw sewage at Fayette, Missouri. **J. Water Pollute. Control Federation**, 36: 603-612.
- Negi, R. K. and Rajput, A. (2013). Impact of pulp and paper mill effluents on phytoplanktonic community structure in Ganga river at Bijnor (Up), India. **Journal of entomology and zoology studies**, 1(5):70-73.
- Nerud, F., Baldrian, P., Gabriel, J. and Ogbeifun, D. (2001). Decolorization of synthetic dyes by the Fenton reagent and the Cu/pyridine/H₂O₂ system. **Chemosphere**, 44: 957-961.
- Neustupa, J. and Škaloud, P. (2010). Diversity of subaerial algae and cyanobacteria growing on bark and wood in the lowland tropical forests of Singapore. **Plant Ecology and Evolution**, 143 (1): 51–62.
- Nies, D. H. (2003). Efflux-mediated heavy metal resistance in prokaryotes. **FEMS Microbiology Reviews**, 27(2-3): 313-339.
- Nongrum, N. A. and Syiem, M. B. (2012). Effects of Copper Ion (Cu²⁺) on the Physiological and Biochemical Activities of the Cyanobacterium *Nostoc ANTH*. **Environ. Eng. Res**, 17(S1): S63-S67.
- Nübel, U., Garcia-Pichel, F., Clavero, E. and Muyzer, G. (2000). Matching molecular diversity and ecophysiology of benthic cyanobacteria and diatoms in communities along a salinity gradient. **Environ Microbiol**, 2: 217-226.
- Osman, M. E. H., El-Naggar, A. H., El-Sheekh, M. M. and El-Mazally, E. E. (2004). Differential effects of Co²⁺ and Ni²⁺ on protein metabolism in *Scenedesmus obliquus* and *Nitzschia perminuta*. **Environ. Toxicol. Pharmacol**, 16: 169-178.

- Otsuka, S., Suda, S., Li, R. H., Watanabe, M., Oyaizu, H., Matsumoto, S. and Watanabe, M. M. (1998). 16S rDNA sequences and phylogenetic analyses of *Microcystis* strains with and without phycoerythrin. **FEMS Microbiol Lett**, 164: 119-124.
- Ozturk, S., Aslim, B. and Suludere, Z. (2009). Evaluation of chromium (VI) removal behaviour by two isolates of *Synechocystis* sp. in terms of exopolysaccharide (EPS) production and monomer composition. **Bioresource Technology**, 100: 5588–5593.
- Palmer, C.M. (1959) A composite rating of algae tolerating organic pollution. **J. Phycol**, 5: 78- 82.
- Panigrahi, S., Padhy, S. and Padhy, R. N. (2003). Toxicity of parathion-methyl to cells, akinetes and heterocysts of the cyanobacterium *Cylindrospermum* sp. and the probit analysis of toxicity. **Ann. appl. Biol**, 143:195-202.
- Parameswari, E., Lakshmanan, A. and Thilagavathi, T. (2010). Phycoremediation of heavy metals in polluted water bodies. **Electronic journal of environmental, agricultural and chemistry**, 9 (4):808-814.
- Paranthaman, S. R. and Karthikeyan, B. (2013). Studies on different indigenous microorganism in pulp and paper mill industry effluent. **Indian streams research journal**, 3(1): 1-15.
- Patron-Prado, M., Acosta-Vargas, B., Serviere- Zaragoza, E. and Mendez-Rudriguez, L. C. (2010). Copper and Cadmium biosorption by dried seaweed *Sargassum sinicola* in saline wastewater. **Water Air Soil Pollut**, 210: 197-202
- Pilkaityte, R. and Razinkovas, A. (2007). Seasonal changes in phytoplankton composition and nutrient limitation in a shallow Baltic lagoon. **Boreal of Environmental Research**, 12: 551-559.

- Planning Commission. (2008). Eleventh Five Year Plan 2007-2012. Volume III. Government of India, New Delhi.
- Pokhrel, D. and Viraraghavan, T. (2004). Treatment of pulp and paper mill wastewater-a review. *Science of the Total Environment*, 333:37-58.
- Poole, N. J., Parkes, R. J and Wildish, D. J. (1977). Reaction of estuarine ecosystem to effluent from pulp and paper industry. *Helgol Meeresunters*, 30:622-632.
- Prasanna, R., Kumar, R., Sood, A., Prasanna, B. M. and Singh, P. K. (2006). Morphological, physiochemical and molecular characterization of *Anabaena* strains. *Microbiological Research*, 161:187—202.
- Prasanna, R., Jaiswal, P. and Kaushik, B. D. (2008). Cyanobacteria as potential options for environmental sustainability – promises and challenges. *Indian J. Microbiol*, 48:89–94.
- Prassana, R., Pabby, A., Saxena, S. and Singh, P. K. (2004) Modulation of pigment profiles of *Calothrix elenkenii* in response to environmental changes. *J Plant Physiol*, 161:1125–1132.
- Priyadarshani, I. and Rath, B. (2012). Effect of heavy metals on cyanobacteria of Odisha coast. *Journal of Microbiology and Biotechnology Research*, 2 (5): 665-674.
- Pulp and Paper Mills. (1998). Pollution prevention and abatement handbook. World Bank group.
- Pulz, O. and Gross, W. (2004). Valuable products from biotechnology of microalgae. *Appl Microbiol Biotechnol*, 65: 635–648.
- Qiu, C. E., Kuang, Q. J., Bi, Y. H., Liu, G. X. and Hu, Z. Y. (2006). Response of

Chlorococcum sp. AZHB to copper and cadmium stress. **Bull Environ Contam Toxicol**, 77(5): 772–778.

Radwan, S. S. and Al-Hasan, R. H. (2001). Potential application of coastal biofilm-coated gravel particles for treating oily waste. **AME**, 23:113-117.

Raghukumar, C., Vipparthy, V., David, J. J. and Chandramohan, D. (2001). Degradation of crude oil by marine cyanobacteria. **Appl. Microbiol. Biotechnol**, 57: 433-436.

Rai, L. C., Kumar, H. D., Mohn, F. H. and Soeder, C. J. (2000). Services of algae to the environment. **J Microbiol Biotechnol**, 10: 119-136.

Rai, L. C., Singh, S. and Pradhan, S. (1998). Biotechnological potential of naturally occurring and laboratory grown *Microcystis* in biosorption of Ni²⁺ and Cd²⁺. **Curr Sci**, 74:461-463.

Rai, P.K., Mallick, N., and Rai, L.C. (1994). Effect of Cu and Ni on growth, mineral uptake, photosynthesis and enzyme activities of *Chlorella vulgaris* at different pH values. **Biomed. Environ. Sci.**, 7: 56–67.

Raja, R., Hemaiswarya, S., Ashok, K. N., Sridhar, S. and Rengasamy, R. A. (2008). Perspective on the biotechnological potential of microalgae. **Critical Reviews in Microbiology**, 34(2): 77–88.

Rajamani, S., Siripornadulsil, S., Falcao, V., Torres, M., Colepicolo, P. and Sayre, R. (2007). Phycoremediation of heavy metals using transgenic algae. Transgenic microalgae as green cell factories. (Edited by León, R., Galván, A. and Fernández, E.). *Lands bioscience and Springer science+Business media*. 99-109.

- Rajasulochana, P., Dhamotharan, R., Murugesan, S. and Murthy, R. C. A. (2009). Bioremediation of oil refinery effluent by using *Scenedesmus obliquus*. **Journal of American Science**, 5(4):17-22.
- Ramaswamy, S. N., Somashekar, R. K. and Arekal, G. D. (1982). Ecological studies on algae in waste waters from rubber tyre factory. **Phykos**, 24(1): 1-7.
- Rana, L., Chhikara, S. and Dhankhar, R. (2013). Assessment of growth rate of indigenous cyanobacteria in metal enriched culture medium. **Asian J. Exp. Biol. Sci**, 4 (3): 465-471.
- Rana, L., Chhikara, S. and Dhankhar, R. (2013). Physiological studies of native cyanobacterial sp. *Lyngbya contorta* and *Phormidium foveolarum* in sewage waste water. **Journal of environmental biology**, 35: 395-399.
- Rangsayatorna, N., Upathamb, E. S., Kruatrachuea, M., Pokethitiyooka, P. and Lanza, G. R. (2002). Phytoremediation potential of *Spirulina (Arthrospira) platensis*: biosorption and toxicity studies of cadmium. **Environmental Pollution**, 119: 45–53.
- Rao, A. L. (2012). An industry analysis with special reference to Indian paper industry. **International Journal of Business Management & Research (IJBMR)**, 2(4): 67-84.
- Rastogi, R. P., Richa, Singh, S. P., et al. (2010). **Aust. J. Bot**, 58:286-293.
- Raungsomboon, S., Chidthaisong, A., Bunnag, B, Inthorn, D. and Harvey, N. W. (2008). Removal of lead (Pb²⁺) by the cyanobacterium *Gloeocapsa* sp. **Bioresource Technology**, 99: 5650–5658.

- Razumov, V. A. and Tyutyunova, F. I. (1999). Nitrite contamination of the Moskov river: causes and effects. **Water Resources**, 28: 324-334.
- Reddy, T. R. K., Rao, J. C. S. and Radhakrishnan, T. M. (1983). Toxicity of oil refinery effluent on physiological responses of algae. **Phykos**, 22: 86-93.
- Reis, A., Mendes, A., Fernandes, L., Empis, J. A. and Novais, M. (1998). Production, extraction and purification of phycobiliproteins from *Nostoc* sp. **Bioresource Technology**, 66:181-187.
- Reyes, F., Chamorro, S., Yeber, M. C. and Vidal, G. (2009). Characterizations of E1 kraft mill effluent by toxicity identification evaluation methodology. **Water, Air and Soil Pollution**, 199: 183–190.
- Rippka, R., Deruelles, J., Waterbury, J. B., Herdman, M. and Stenier, R.Y. (1979). Generic assignments, strain histories and properties of pure cultures of cyanobacteria. **J Gen Microbiol**, 111:1-61.
- Robertson, B. R., Tezuka, N. and Watanabe, M. M. (2001). Phylogenetic analyses of *Synechococcus* strains (cyanobacteria) using sequences of 16S rDNA and part of the phycocyanin operon reveal multiple evolutionary lines and reflect phycobilin content. **Int J Syst Evol Microbiol**, 51: 861-871.
- Roger, P. A. and P. A. Reynaud. (1982). Free, living blue-green algae in tropical soils. 147-168 in Y. Dommergues and H. Diemedes. **Microbiology of tropical soils and plant productivity**.

- Romera, E. F., Gonzalez, A., Ballester, M., Blazquez, L. and Munoz, J. A. (2007). Comparative study of biosorption of heavy metals using different types of algae. **Bioresour. Technol.**, 98: 3344-3353.
- Rout, J. and Dey, A. (1999). A study of algal flora from rice fields of Irongmara, Barak valley, Assam. **Phykos**, 38: 19–25.
- Rout J. and Sarma, B. (2010). Algal Colonization and Distribution Pattern in Barak River near A Paper Mill, Panchgram. **Flora and fauna**, 91-97.
- Roy, B. D., Deb, B. and Sharma, G. D. (2008). BGA as potential biofertilizer in acidic rice field soils of Southern Assam. **J. Assam Sc. Soc**, 48: 16-20.
- Sahai, R and Sinha, A. B. (1969). Investigation on bio - ecology of inland waters of Gorakhpur (U.P.) India. 1. Limnology of Ramgarh Lake. **Hydrobiol**, 34:433-447.
- Sahai, R., Saxena, P. K. and Jabeen, S. (1985). Ecological survey of the algal flora of polluted habitats of Gorakhpur. **Phykos**, 24: 4-11.
- Saikia, M. K. and Lohar, P. (2012). Structural and physico-chemical correlation of algal community of a wetland affected by pulp and paper mill effluents. **Global journal of science frontier research biological sciences**, 12 (5).
- Saikia, M. K., Kalita, S. and Sarma, G.C. (2011). An experimental investigation on growth stimulation (+) and inhibition (-) of algae (*Oscillatoria chlorina* and *Scenedesmus quadricauda*) treated with pulp and paper mill. **International journal of applied biology and pharmaceutical technology**, 2 (4): 84-94.
- Sarma, B. K. (2014). Impact of Paper Industry on Environment: A Case Study of the Nagaon paper mill. **International conference on trends in economics, humanities and management (ICTEHM'14)**, 13-14.

- Savant, D. V., Rahman, A. R. and Ranade, D. R. (2006). Anaerobic degradation of absorbable organic halides (AOX) from pulp and paper industry wastewater. **Bioresource Technol**, 97: 1092-1104.
- Schwabe, G. H., and K. Behre, (1971). Ökogenese der Insel Surtsey 1969 bis 1970. **Naturwissenschaftliche Rundschau**, 24:513–519.
- Selvakumar, G. and Gopalaswamy, G. (2008). PCR based fingerprinting of *Westiellopsis* cultures with short tandemly repeated repetitive (STRR) and highly iterated palindrome (HIP) sequences. **Biologia**, 63(3): 283-288.
- Selvarthi, P. and Ramasubramanian, V. (2010). Phytoremedial effect of *Datura metel* L. on paper mill effluent and its impact on physico-chemical characteristics of *Lycopersicon esculentum* mill. **J Biosci Res**, 1(2): 94-100.
- Sethi, S. K., Samad, L. K. and Adhikary, S. P. (2012). Cyanobacteria and micro-algae in biological crusts on soil and sub-aerial habitats of eastern and north eastern region of India. **Phykos**, 42 (1): 1 – 9.
- Shah, V., Garg, N. and Madamwar, D. (2001). An integrated process of textile dye removal and hydrogen evolution using cyanobacterium, *Phormidium valderianum*. **World J Microbiol Biotechnol**, 17: 499-504.
- Sharma, H. R., Wati, L., and Singh, D. (2002). Decolorization and COD reduction of digested distillery spent wash by mixed cyanobacterial cultures. **Indian J. Microbiol**, 42: 267-268.
- Sharma, S., Vishwakarma, R., Dixit, S. and Jain, P. (2011). Evaluation of water quality of Narmada river with reference to physicochemical parameters at Hoshangabad city, MP, India. **Res.J.Chem.Sci**, 1(3).

- Shashirekha, S., Uma, L. and Subramanian, G. (1997). Phenol degradation by the marine cyanobacterium *Phormidium valderianum* BDU 30501. **J. Ind. Microbiol. Biotechnol**, 19: 130–133.
- Shashirekha, V., Pandi, M. and Swamy, M. (2008) Detoxification of tannery effluents using blue green algae with special reference to chromium. In: Arvind Kumar (eds). Environmental Science And Technology In India. Daya Publishing House, New Delhi.
- Shekhar, T. R. S., Kiran, B. R., Puttaiah, E. T., Shivaraj, Y. and Mahadevan, K. M. (2008). Phytoplankton as index of water quality with reference to industrial pollution. **Journal of Environmental Biology**, 29(2): 233-236.
- Sikarwar, N. and Singh, G. P. (2012). Toxicological response of the bluegreen alga *Oscillatoria agardhii*, to heavy metals. **Int J Pharm Bio Sci**, 3(4): 58 – 64.
- Singh, B. V., Goyal, S. K. & Tasneem, F. (1995). pH tolerance in cyanobacteria. **Phykos**, 34: 97-103.
- Singh, O. K., Oinam, G. and Tiwari, O. N. (2012). New record of potential cyanobacteria from Indian region falling Indo-Burma biodiversity hotspots (North-East region of India) and partial characterization for value additions. **Philippine Journal of Science**, 141(1): 57-66.
- Singh, S. C. (2000). Ecological study of algal flora of Schirmacher Oasis of Antarctica. Seventeenth Indian Expedition to Antarctica, Scientific Report. Department of Ocean Development, Technical Publication. 15: 221-231.
- Singh, V.P. and Saxena, P.N. (1969). Preliminary studies on algal succession in raw and stabilized sewage. **Hydrobiologia**, 34: 503-512.
- Singha, S., Dhara, D. W. and Gupta, R. K. (2011). Morphological and molecular

- characterization of *Calothrix* isolates obtained from diverse environments in India. ***Microbiology***, 80(3): 411–419.
- Sinha, R. P. and Häder, D. P. (2008). ***Plant Sci***, 174:278-289.
- Singh, S. P., Kumari, S., Rastogi, R. P, et al. (2008). ***Ind. J. Exp. Biol***, 46:7-17.
- Sivakami, R., Mahalakshmi, M. and Premkishore, G. (2015). Removal of heavy metals by biosorption using cyanobacteria isolated from freshwater pond. ***Int.J.Curr.Microbiol.App.Sci***, 4(12): 655-660.
- Sivasubramanian, V., Sankaran, B. and Subramanian, V. V. (2012). Preliminary report on the tolerance and growth of micro algae in the sludge from hypochlorite manufacturing industry and possibility of using these micro algae for remediation. ***J. Algal Biomass Utln***, 2(3): 67-73.
- Slotton, D. G., Goldman, C. R. and Frank, A. (1989). Commercially grown *Spirulina* found to contain low levels of mercury and lead. ***Nutrition Reports International***, 40:2 1165-1172.
- Smith, A. A., Coomes, M. W. and Smith, T. E. (2008). Isolation and sequence of the phosphoenolpyruvate carboxylase gene of the marine cyanobacterium *Synechococcus* PCC 7002. ***J. Biol. Sci.***, 8: 1261-1270.
- Soni, M. S. and Shukla, S. P. (2006). Study on algal flora of algae-moss association on barks of some selected tree species at Rono-hills of Papumpare district in Arunachal Pradesh, India. ***Bulletin of Arunachal Forest Research***, 22 (1&2): 1-8.

- Spolaore, P., Joannis-Cassan, C., Duran, E. and Isambert, A. (2006). Commercial applications of microalgae. *Journal of bioscience and bioengineering*, 101(2): 87-96.
- Sridach, W. (2010). Pulping and paper properties of Palmyra palm fruit fibres. *Songklanakarim Journal of science and technology*, 32(2): 201-205.
- Srivastava, C. P. (1992). Pollutants and nutrients status in raw sewage. *Indian Journal Environment Protection*, 18: 109-111.
- Starks, T. L. and Shubert, L. E. (1981). Colonization and succession of soil algae. *J. Phycol*, 18: 99–107.
- Steinbüchel, A., Füchtenbusch, B. and Gorenflo, V. (1997). *Polymer Degrad. Stabil*, 59:177-182.
- Subhashini, D. and Kaushik, B. D. (1981). Amelioration of sodic soils with blue-green algae. *Aust J Soil Res*, 19:361–367.
- Subrahmanyam, P. V. R. (1990). Waste management in pulp and paper industry. *Journal of Indian Association for Environmental Management*, 17: 79–94.
- Subramanian, G. and Uma, L. (1996). Cyanobacteria in pollution control. *J. Sci. Ind. Res*, 55: 685-692.
- Sudhakar, G., Jyoti, B. and Venkateswarlu, V. (1991). Impacts of paper mill effluents on the distribution of cyanobacteria in the river Godavari, India. *Waste management*, 11: 263-269.

- Sunday, A. D., Augustina, D. O, Zebedee, B. and Olajide, O. O. (2013). Analyses of heavy metals in water and sediment of Bindare stream, Chikaji industrial area Sabon Gari. ***International Journal of Scientific Research in Environmental Sciences (IJSRES)***,1(6): 115-121.
- Sunita, M., and Rao, D. G. (2003). Bioconversion of mango processing waste to fish feed by microalgae isolated from fruit processing industrial effluents. ***J. Scienti. Indst. Res***, 62: 344-347.
- Suthar, S. and Singh, S. (2008). Vermicomposting of domestic waste by using two epigeic earthworms (*Perionyx excavates* and *Perionyx sansibaricus*). ***Int. J. Environ. Sci. Tech***, 5(1): 99-106.
- Swain, P. K., Panda, M. K., Behera, G.S., Mohanta, R. K. and Padhi, S. B. (2014). Biomass production of two blue-green algae using J. K. Papermill effluents, Rayagada as nutrient in culture medium. ***IJBPAS***, 3(10): 2229-2239.
- Swamy, Y. V., Mohanty, J. N., Murty, B. V. R., Trpathy, H. K. and Tripathy, A. K. (2000). Treatment of black liquor and utilization of waste material generated in small paper plants. ***IPPTA***, 12(2): 53-60.
- Takaichi, S. (2011). Carotenoids in algae: distributions, biosyntheses and functions. ***Mar. Drugs***, (9). 1101-1118.
- Tang, C. Y., Criddle, Q. S., Fu, C. S. and Leckie, J. O. (2007). Effect of flux (transmembrane pressure) and membranes properties on fouling and rejection of reverse osmosis and nanofiltration membranes treating perfluorooctane sulfonate containing waste water. ***Environmental Science and Technology***,

41: 2008-2014.

- Teaumroong, N., Innok, S., Chunleuchanon, S. and Boonkerd, N. (2002). Diversity of nitrogen-fixing cyanobacteria under various ecosystems of Thailand: I. Morphology, physiology and genetic diversity. **World Journal of Microbiology & Biotechnology**, 18: 673–682.
- Tirkey, J. and Adhikary, S. P. (2005). Cyanobacteria in biological soil crusts of India. **Current Science**, 89: 515-521.
- Tiwari, O. N., Singh, B. V., Mishra, U., Singh, A. K., Wattal, D. and Singh, P. K. (2005). Distribution and physiological characterization of cyanobacteria isolated from arid zones of Rajasthan. **Tropical ecology**, 46 (2): 165–171.
- Tripathi¹, P., Kumar, V., Joshi, G., Singh, S. P. Panwar, S., Naithani, S. and Nautiyal, R. (2013). A comparative study on physico-chemical properties of pulp and paper mill effluent. **Int. Journal of Engineering Research and Applications**, 3 (6): 811-818.
- Toledo. G. and Palenik, B. (1997). *Synechococcus* diversity in the California current as seen by RNA polymerase (*rpoc1*) gene sequences of isolated strains. **Applied and Environmental Microbiology**, 63: 4298-4303.
- Tuji, A. and Niiyama, Y. (2010). Phylogenetic study by the morphological and molecular analyses of Japanese planktonic *Anabaena* species. **Bull. Natl. Mus. Nat. Sci., Ser. B**, 36(2): 71–80.
- Turner, J. S. and Robinson, N. J. (1995). Cyanobacterial metallothioneins: biochemistry and molecular genetics. **J. of Industrial Microbiology**, 14: 119-125.

- Uma, L. and Subramanian, G. (1990). Effective use of cyanobacteria in effluent treatment. In proceedings of the National symposium on cyanobacterial N₂ fixation, IARI, New Delhi. 437–444.
- UNEP year book 2010: New Science and Developments in our changing environment.
- UN-Water 2009. World Water Day brochure, http://www.unwater.org/worldwaterday/downloads/WWD09_brochure_LOW.Pdf.
- UN-WWAP. (2003). United Nations World Water Assessment Programme .The world water Development Report-1: Water for people, Water for life. UNESCO: Paris, France.
- Upadhayay, R., Dubey, A. P. and Pandey, G. N. (1982). Physico-chemical characteristics of the Mahanadi estuary, east coast of India. *Pollution Research*, 1: 11-20.
- Urbach, E., Robertson, D. L., & Chisholm, S. W. (1992) Multiple evolutionary origins of prochlorophytes within the cyanobacterial radiation. *Nature*, 355: 267-270.
- Vale'rio, E., Pereira, P., Saker, M. L., Franca, S. and Tenreiro, R. (2005). Molecular characterization of *Cylindrospermopsis raciborskii* strains isolated from Portuguese freshwaters. *Harmful Algae*, 4: 1044–1052.
- Venkateswarlu, V., Manikya, R. P. and Rajkumar, B. (1994). Heavy metal pollution in the rivers of Andhra Pradesh, India. *J Environ Biol*, 15:275–282.
- Venneaux, J. (1976). Basic principles for the determination of ecological criteria for

- hydrobiocenses of running water. In Amavis, R. and Smeets, J. (Eds), Principles and methods for determining ecological criteria on hydrobiocenses. Pergamon Press, Oxford. 199-202.
- Vepsäläinen, M., Kivisaari, H., Pulliainen, M., Oikari, A. and Sillanpää, M. (2011). Removal of toxic pollutants from pulp mill effluents by electrocoagulation. **Sep. Purif. Technol**, 81: 141–150.
- Verma, V. K., Gupta, R. K. and Rai, J. P. N. (2005). Bioabsorption Pb and Zn from pulp and paper industry effluent by hyacinth (*Eichhornia crassipes*). **J. Sci. Ind. Res**, 64: 778-781.
- Vijayakumar, S. Thajuddin, N. and Manoharan, C. (2005). Role of cyanobacteria in the treatment of dye industry effluent. **Poll. Res**, 24(1):79-84.
- Vijayakumar, S. Thajuddin, N. and Manoharan, C. (2007). Biodiversity of cyanobacteria in industrial effluent. **Acta Botanica Malacitana**, 32: 27-34.
- Vijayakumar, S., Jeyachandren, S. and Manoharan, C. (2012). Studies on cyanobacterial population in industrial effluents. **J. Algal Biomass Utiln**, 3 (1): 39 – 45.
- Walach, M. R., Bazin, M. and Pirt, J. (1987). Computer control of carbon - nitrogen ratio in *Spirulina platensis*. **Biotechnol. Bioeng**, 29: 520 – 528.
- Walling, D. E. and Webb, B. W. (1975). Spatial variation of river water quality: a survey of the river Exe. **Transactions of the Institute of British Geographers**, 65: 155-171.
- Watanabe, A. and Yamamoto, Y. (1971). Algal nitrogen fixation in the tropics. **Plant and**

Soil, 403-413.

- Wilkie, A. C., Edmunson, S. J. and Duncan, J. G. (2011). Indigenous algae for local bioresource production: phycoprospecting. *Energy for sustainable development*, 15 (4): 365-371.
- Williams, A. E. (1998). Natural and anthropogenic nitrate contamination of groundwater in a rural community, California. *Environmental Science and Technology*, 32: 32-39.
- Wilmotte, A. and Herdman, M. (2001) Phylogenetic relationships among the cyanobacteria based on 16S rRNA sequences. In Bergey's manual of systematic bacteriology. D. R. Boone & R. W. Castenholz (eds). 2nd edn. New York, USA, Springer-Verlag, pp. 487-493.
- Wilmotte, A. (1994). Molecular evolution and taxonomy of the cyanobacteria. In Bryant, D. A. (ed.), The Molecular Biology of Cyanobacteria. Kluwer Academic Publishers, Dordrecht: 1-25.
- Wilmotte, A. and Herdman, M. (2001). Phylogenetic relationships among the cyanobacteria based on 16S rRNA sequences. In Garrity, G. M. (ed.), Bergey's Manual of Systematic Bacteriology: 487-493.
- Whitton, B. A. (1992). Diversity, ecology and taxonomy of the cyanobacteria. In: N.H. Mann and N.G. Carr [Eds.] Photosynthetic Prokaryotes. Plenum Press, New York, 1-51.
- Xylaender, M. and Braune, W. (1994). Influence of nickel on the green alga *Haematococcus lacustris* rostafinski in phases of its life cycle. *J. Plant Physiol.*, 144: 86-93.

- Yadav, S. and Yadav, N. (2014). Physicochemical study of paper mill effluent: To assess pollutant release to environment. ***International journal of environmental sciences***, 4 (5).
- Yedla, S., Mitra, A. and Bandyopadhyay, M. (2002). Purification of pulp and paper mill effluent using *Eichornia crassipes*. ***Environment Technology***, 23: 453–465.
- Yee, N., Benning, L. G., Phoenix, V. R. and Ferris, F. G. (2004) Characterization of metal-cyanobacteria sorption reactions: A combined macroscopic and infrared spectroscopic investigation. ***Environ Sci Technol***, 38: 775–782.
- Zancan, S., Trevisan, R. and Paoletti, M. G. (2006). Soil algae composition under different agro-ecosystems in North-Eastern Italy. ***Agriculture, Ecosystems and Environment***. 112: 1–12.
- Zhang, Q. and Chung, K. T. (1998). Alumina- supported noble catalysts for destructive oxidation of organic pollutants in effluent from a softwood kraft paper mill. ***Ind Eng Chem Res***, 37: 3343-3349.