

References

- Abdullah, M.A., Dlay, S.S. and Woo, W.L., 2014, October. Fast and accurate method for complete iris segmentation with active contour and morphology. In *Imaging Systems and Techniques (IST)*, 2014 IEEE International Conference on (pp. 123-128). IEEE..
- Abdullah, M.A., Dlay, S.S., Woo, W.L. and Chambers, J.A., 2016. A novel framework for cross-spectral iris matching. *IPSJ Transactions on Computer Vision and Applications*, 8(1), p.9.
- Abhyankar, A. and Schuckers, S., 2009. Iris quality assessment and bi-orthogonal wavelet based encoding for recognition. *Pattern Recognition*, 42(9), pp.1878-1894.
- Abhyankar, A. and Schuckers, S., 2010. A novel biorthogonal wavelet network system for off-angle iris recognition. *Pattern recognition*, 43(3), pp.987-1007.
- Abiyev R. H., Altunkaya K.: Personal Iris Recognition Using Neural Network. *International Journal of Security and its Applications*, 2, 2008, pp. 41-50.
- Al-allaf, Omaima N. Ahmad, Abdelfatah Aref Tamimi, and Shahlla A. AbdAlKader, 2012. Artificial Neural Networks for Iris Recognition System: Comparisons between Different Models, Architectures and Algorithms 1. *International Journal of Information and Communication Technology Research* 2, No. 10, pp. 744-752.
- Al-Daoud, E., 2012. A new iris localization method based on the competitive chords. *Signal, Image and Video Processing*, 6(4), pp.547-555.
- Alice I: *Biometric Recognition: Security and Privacy concern*, IEEE Security and Privacy, 2003.
- Alvarez-Betancourt, Y. and Garcia-Silvente, M., 2016. A keypoints-based feature extraction method for iris recognition under variable image quality conditions. *Knowledge-Based Systems*, 92, pp.169-182.
- Al-Zubi, R.T. and Abu-Al-Nadi, D.I., 2007. Automated personal identification system based on human iris analysis. *Pattern analysis and applications*, 10(2), pp.147-164.

- Araghi, Leila Fallah, Hamed Shahhosseini, and Farbod Setoudeh, 2010. IRIS recognition using neural network. In Proceedings of the international multiconference of engineers and computer scientists, vol. 1.
- Auda, G. and Kamel, M., 1998. Modular neural network classifiers: A comparative study. *Journal of intelligent & robotic systems*, 21(2), pp.117-129.
- Auda, G. and Kamel, M., 1999. Modular neural networks: a survey. *International Journal of Neural Systems*, 9(02), pp.129-151.
- Aydi, W., Kamoun, L. and Masmoudi, N., 2013. A fast and accurate eyelids and eyelashes detection approach for iris segmentation. In *Computer and Information Technology (WCCIT)*, 2013 World Congress on, IEEE, pp. 1-6.
- Bastys, A., Kranauskas, J. and Masiulis, R., 2009. Iris recognition by local extremum points of multiscale Taylor expansion. *Pattern recognition*, 42(9), pp.1869-1877.
- Bindra G. S. et al., 2012. Feature Based Iris Recognition System functioning on Extraction of 2D Features. *International Conference on System Engineering and Technology*, IEEE, pp. 17-19.
- Biometrics Ideal. 2014, "databases, Tinieu T." Center for Biometrics and Security Research (CBSRj, China, <http://biometrics.idealtest.org/>, downloaded: June 21st (2014).
- Bodade, R.M. and Talbar, S.N., 2014. *Iris Analysis for Biometric Recognition Systems*. Springer.
- Boddeti, V.N. and Kumar, B.V., 2010. Extended-depth-of-field iris recognition using unrestored wavefront-coded imagery. *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans*, 40(3), pp.495-508.
- Boles, W.W. and Boashash, B., 1998. A human identification technique using images of the iris and wavelet transform. *IEEE transactions on signal processing*, 46(4), pp.1185-1188.
- Canny, J., 1986. A computational approach to edge detection. *IEEE Transactions on pattern analysis and machine intelligence*, (6), pp.679-698.
- Chen, R., Lin, X.R. and Ding, T.H., 2011. Iris segmentation for non-cooperative recognition systems. *IET image processing*, 5(5), pp.448-456.
- Chou, C.T., Shih, S.W., Chen, W.S., Cheng, V.W. and Chen, D.Y., 2010. Non-orthogonal view iris recognition system. *IEEE Transactions on Circuits and Systems for Video Technology*, 20(3), pp.417-430.
- Chowhan, S.S., Kulkarni, U.V. and Shinde, G.N., 2011. Iris Recognition Using Modified Fuzzy Hyperline Segement Neural Network. *International Journal of Computer Science and Security (IJCSS)*, 1(3), p.1.
- Costa Filho, C.F.F., Pinheiro, C.F.M., Costa, M.G.F. and de Albuquerque Pereira, W.C., 2013. Applying a novelty filter as a matching criterion to iris recognition for binary and real-valued feature vectors. *Signal, Image and Video Processing*, pp.1-10.

- Dabbaghchian, S., Ghaemmaghami, M.P. and Aghagolzadeh, A., 2010. Feature extraction using discrete cosine transform and discrimination power analysis with a face recognition technology. *Pattern Recognition*, 43(4), pp.1431-1440.
- Daugman J. G.: How Iris Recognition Works. *Trans. IEEE*, 14, 2004, pp. 21-30.
- Daugman, J., 2007. New methods in iris recognition. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 37(5), pp.1167-1175.
- Daugman, J.G., Iris Scan Incorporated, 1994. Biometric personal identification system based on iris analysis. U.S. Patent 5,291,560.
- Daugman, John G., 1993. High confidence visual recognition of persons by a test of statistical independence. *Pattern Analysis and Machine Intelligence, IEEE Transactions on* 15, no. 11, pp. 1148-1161.
- Daugman, John., 2004. How iris recognition works. *IEEE Transactions on circuits and systems for video technology* 14, no. 1, pp. 21-30.
- De Marsico, M., Nappi, M. and Riccio, D., 2012. Noisy iris recognition integrated scheme. *Pattern Recognition Letters*, 33(8), pp.1006-1011.
- De Marsico, M., Nappi, M., Riccio, D. and Wechsler, H., 2011. Iris segmentation using pupil location, linearization, and limbus boundary reconstruction in ambient intelligent environments. *Journal of Ambient Intelligence and Humanized Computing*, 2(2), pp.153-162.
- de Mira Jr, J., Neto, H.V., Neves, E.B. and Schneider, F.K., 2015. Biometric-oriented Iris Identification Based on Mathematical Morphology. *Journal of Signal Processing Systems*, 80(2), pp.181-195.
- Dewangan A. K. et al.: Human Identification and Verification Uisng Iris Recognition by Calculating Hamming Distance. *Int. Journal of Soft Computing and Engineering (IJSCE)*, 2, 2012, pp. 334-338.
- Dong, W., Sun, Z. and Tan, T., 2011. Iris matching based on personalized weight map. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 33(9), pp.1744-1757.
- Eskandari, M. and Toygar, Ö., 2013. Score level fusion for face-iris multimodal biometric system. In *Information Sciences and Systems 2013*, Springer, Cham, pp. 199-208.
- Jan, F., 2017. Segmentation and localization schemes for non-ideal iris biometric systems. *Signal Processing*, 133, pp.192-212.
- Farouk, R.M., Kumar, R. and Riad, K.A., 2011. Iris matching using multi-dimensional artificial neural network. *IET Computer Vision*, 5(3), pp.178-184.
- Ferone, A., Frucci, M., Petrosino, A. and di Baja, G.S., 2014, June. Iris Detection Through Watershed Segmentation. In *International Workshop on Biometric Authentication*, Springer, Cham, pp. 57-65.
- Fuzzy Toolbox, 1999

- Ganorkar, S.R. and Ligade, A.P., 2013. Enhancing the Performance of Iris Recognition System using Matching Score Fusion Technique. *International Journal of Scientific & Engineering Research*, 4(7), pp. 1876-1880
- Gaxiola, F., Melin, P. and López, M., 2010, July. Modular neural networks for person recognition using segmentation and the iris biometric measurement with image pre-processing. In *Neural Networks (IJCNN), The 2010 International Joint Conference on*, IEEE, pp. 1-7.
- Gaxiola, F., Melin, P. and López, M., 2010. Modular neural networks for person recognition using the contour segmentation of the human iris biometric measurement. *Soft Computing for Recognition Based on Biometrics*, pp.137-153.
- Ghodrati, H., Dehghani, M.J. and Danyali, H., 2014. A new accurate noise-removing approach for non-cooperative iris recognition. *Signal, Image and Video Processing*, 8(1), pp.1-10.
- Godara S. et al.: Comparison of Different Neural Networks for Iris Recognition: A Review. *Network and Complex Systems*, 2, 2012.
- Grabowski, K. and Napieralski, A., 2011. Hardware architecture optimized for iris recognition. *IEEE Transactions on Circuits and Systems for Video Technology*, 21(9), pp.1293-1303.
- Hamouchene, I. and Aouat, S., 2014. A new texture analysis approach for iris recognition. *AASRI Procedia*, 9, pp.2-7.
- Hasan, K.I. and Amin, M.A., 2014. Dual iris matching for biometric identification. *Signal, Image and Video Processing*, 8(8), pp.1605-1611.
- He, X. and Shi, P., 2007. A new segmentation approach for iris recognition based on hand-held capture device. *Pattern Recognition*, 40(4), pp.1326-1333.
- He, Z., Tan, T., Sun, Z. and Qiu, X., 2009. Toward accurate and fast iris segmentation for iris biometrics. *IEEE transactions on pattern analysis and machine intelligence*, 31(9), pp.1670-1684.
- Hollingsworth, K.P., Bowyer, K.W. and Flynn, P.J., 2011. Improved iris recognition through fusion of hamming distance and fragile bit distance. *IEEE transactions on pattern analysis and machine intelligence*, 33(12), pp.2465-2476.
- Hosseini, M.S., Araabi, B.N. and Soltanian-Zadeh, H., 2010. Pigment melanin: Pattern for iris recognition. *IEEE Transactions on Instrumentation and Measurement*, 59(4), pp.792-804.
- http://www.mathworks.com/access/helpdesk/help/pdf_doc/fuzzy/rn.pdf
- Hu, Y., Sirlantzis, K. and Howells, G., 2017. A novel iris weight map method for less constrained iris recognition based on bit stability and discriminability. *Image and Vision Computing*, 58, pp.168-180.

- Huang, J., Wang, Y., Tan, T. and Cui, J., 2004, August. A new iris segmentation method for recognition. In Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on, Vol. 3, IEEE, pp. 554-557.
- Huang Y. et al., 2002. An Efficient Iris Recognition System. In: Proc. of the First Int. Conf. on Machine Learning and Cybernetics, IEEE, 1, 2002, pp. 450-454.
- Huang, J., You, X., Yuan, Y., Yang, F. and Lin, L., 2010. Rotation invariant iris feature extraction using Gaussian Markov random fields with non-separable wavelet. *Neurocomputing*, 73(4), pp.883-894.
- IITD Iris Database, http://web.iitd.ac.in/~biometrics/Database_Iris.htm, 2008
- Islam, M., 2014. Feature and score fusion based multiple classifier selection for iris recognition. *Computational intelligence and neuroscience*, 2014, p.10.
- Jain A. K., et al., 2004. An Introduction to Biometric Recognition. *Trans. IEEE, Circuits and Systems for Video Technology*, 14, pp. 4-20.
- Jan, F., 2017. Pupil localization in image data acquired with near-infrared or visible wavelength illumination. *Multimedia Tools and Applications*, pp.1-27.
- Jan, F., Usman, I. and Agha, S., 2012. Iris localization in frontal eye images for less constrained iris recognition systems. *Digital Signal Processing*, 22(6), pp.971-986.
- Jan, Farmanullah, Imran Usman, and Shahrukh Agha, 2013. Reliable iris localization using Hough transform, histogram-bisection, and eccentricity. *Signal Processing* 93, no. 1, pp. 230-241.
- Jang, J., Park, K.R., Kim, J. and Lee, Y., 2008. New focus assessment method for iris recognition systems. *Pattern recognition letters*, 29(13), pp.1759-1767.
- Jang, Y.K., Kang, B.J. and Park, K.R., 2008. A study on eyelid localization considering image focus for iris recognition. *Pattern recognition letters*, 29(11), pp.1698-1704.
- Jhamb, M. and Khera, V.K., 2011. Iris based human recognition system. *International Journal of Biometrics and Bioinformatics (IJBB)*, 5(1), p.1.
- Kalka, N.D., Zuo, J., Schmid, N.A. and Cukic, B., 2010. Estimating and fusing quality factors for iris biometric images. *IEEE Transactions on Systems, Man, and Cybernetics-Part A: Systems and Humans*, 40(3), pp.509-524.
- Kang, B.J. and Park, K.R., 2007. A robust eyelash detection based on iris focus assessment. *Pattern Recognition Letters*, 28(13), pp.1630-1639.
- Kass, M., Witkin, A. and Terzopoulos, D., 1988. Snakes: Active contour models. *International journal of computer vision*, 1(4), pp.321-331.
- Kocer, H.E. and Allahverdi, N., 2008. An efficient iris recognition system based on modular neural networks. In *Proceedings of the 9th WSEAS International Conference on Neural Networks*. World Scientific and Engineering Academy and Society (WSEAS), pp. 42-47.

- Krichen, E., Garcia-Salicetti, S. and Dorizzi, B., 2009. A new phase-correlation-based iris matching for degraded images. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 39(4), pp.924-934.
- Kumar, A. and Passi, A., 2010. Comparison and combination of iris matchers for reliable personal authentication. *Pattern recognition*, 43(3), pp.1016-1026.
- Labati, R.D. and Scotti, F., 2010. Noisy iris segmentation with boundary regularization and reflections removal. *Image and vision computing*, 28(2), pp.270-277.
- Lee J., "More Banks Turn to Biometrics to Keep an Eye on Security", *Nerdwallet Banking*. 20th May, 2017. <https://www.nerdwallet.com/blog/banking/biometrics-when-your-bank-scans-your-voice-face-or-eyes>.
- Lefevre, T., Dorizzi, B., Garcia-Salicetti, S., Lemperiere, N. and Belardi, S., 2013. Effective elliptic fitting for iris normalization. *Computer Vision and Image Understanding*, 117(6), pp.732-745.
- Li, C., Zhou, W. and Yuan, S., 2015. Iris recognition based on a novel variation of local binary pattern. *The Visual Computer*, 31(10), pp.1419-1429.
- Li, P. and Ma, H., 2012. Iris recognition in non-ideal imaging conditions. *Pattern Recognition Letters*, 33(8), pp.1012-1018.
- Li, P., Liu, X. and Zhao, N., 2012. Weighted co-occurrence phase histogram for iris recognition. *Pattern Recognition Letters*, 33(8), pp.1000-1005.
- Li, P., Liu, X., Xiao, L. and Song, Q., 2010. Robust and accurate iris segmentation in very noisy iris images. *Image and Vision Computing*, 28(2), pp.246-253.
- Li, Y.H. and Savvides, M., 2013. An automatic iris occlusion estimation method based on high-dimensional density estimation. *IEEE transactions on pattern analysis and machine intelligence*, 35(4), pp.784-796.
- Ma, Li, Tieniu Tan, Yunhong Wang, and Dexin Zhang, 2004. Efficient iris recognition by characterizing key local variations. *Image Processing, IEEE Transactions on* 13, no. 6, pp.739-750.
- Madane, M. and Thepade, S., 2016. Score Level Fusion Based Bimodal Biometric Identification Using Thepade's Sorted n-ary Block Truncation Coding with Varied Proportions of Iris and Palmprint Traits. *Procedia Computer Science*, 79, pp.466-473.
- Marciniak, T., Dąbrowski, A., Chmielewska, A. and Krzykowska, A.A., 2014. Selection of parameters in iris recognition system. *Multimedia Tools and Applications*, 68(1), pp.193-208.
- Masek, L. and Kovesi, P., 2003. Matlab source code for a biometric identification system based on iris patterns. *The School of Computer Science and Software Engineering, The University of Western Australia*, 2(4).

- Matveev, I. and Simonenko, I., 2014. Detecting precise iris boundaries by circular shortest path method. *Pattern recognition and image analysis*, 24(2), pp.304-309.
- Matveev, I., Chinaev, N. and Novik, V., 2016. Location of pupil contour by Hough transform of connectivity components. *Pattern Recognition and Image Analysis*, 26(2), pp.398-405.
- Matveev, Ivan, and Konstantin Gankin. 2014. Iris segmentation system based on approximate feature detection with subsequent refinements. In *Pattern Recognition (ICPR), 2014 22nd International Conference on*, IEEE, pp. 1704-1709.
- Mehrotra, H. and Majhi, B., 2013. Local feature based retrieval approach for iris biometrics. *Frontiers of Computer Science*, 7(5), pp.767-781.
- Melin, P., 2012. Modular Neural Networks for Person Recognition Using the Contour Segmentation of the Human Iris. *Modular Neural Networks and Type-2 Fuzzy Systems for Pattern Recognition*, pp.43-59.
- Min, T.H. and Park, R.H., 2009. Eyelid and eyelash detection method in the normalized iris image using the parabolic Hough model and Otsu's thresholding method. *Pattern recognition letters*, 30(12), pp.1138-1143.
- Miyazawa, K., Ito, K., Aoki, T., Kobayashi, K. and Nakajima, H., 2008. An effective approach for iris recognition using phase-based image matching. *IEEE transactions on pattern analysis and machine intelligence*, 30(10), pp.1741-1756.
- MMU2 Iris Database, <http://www.advancedsourcecode.com/irisdatabase.asp>, 2010.
- Monro, D.M., Rakshit, S. and Zhang, D., 2007. DCT-based iris recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(4), pp.586-595.
- Mozumder, A.I. and Begum, S.A., 2015, September. Iris Segmentation using Adaptive Histogram Equalization and median filtering. In *Advanced Computing and Communication (ISACC), 2015 International Symposium on*(pp. 244-250). IEEE.
- Mozumder, A.I. and Begum, S.A., 2016, December. An efficient approach towards iris recognition with modular neural network match score fusion. In *Computational Intelligence and Computing Research (ICCIC), 2016 IEEE International Conference on*, IEEE, pp. 1-6.
- Mozumder, A.I. and Begum, S.A., 2017. Iris Recognition using Modular Neural Network and Fuzzy Inference System based Score Level Fusion. *International Journal of Advanced Research in Computer Science*, 8(7), pp.604-610.
- Nabti, M. and Bouridane, A., 2008. An effective and fast iris recognition system based on a combined multiscale feature extraction technique. *Pattern Recognition*, 41(3), pp.868-879.

- Neural network models (supervised) (2016), Retrieved from http://scikit-learn.org/stable/modules/neural_networks_supervised.html.
- Ngo, H.T., Rakvic, R.N., Broussard, R.P. and Ives, R.W., 2014. Resource-aware architecture design and implementation of Hough transform for a real-time iris boundary detection system. *IEEE Transactions on Consumer Electronics*, 60(3), pp.485-492.
- Nguyen, K., Fookes, C., Sridharan, S. and Denman, S., 2013. Feature-domain super-resolution for iris recognition. *Computer Vision and Image Understanding*, 117(10), pp.1526-1535.
- ogly Aliev, R.A. and Aliev, R.R., 2001. *Soft computing and its applications*. World Scientific.
- Omaima, Al-allaf, N. Ahmad, Abdelfatah Aref Tamimi, and Shahlla A. AbdAlKader, 2012. Artificial Neural Networks for Iris Recognition System: Comparisons between Different Models, Architectures and Algorithms 1. *International Journal of Information and Communication Technology Research* 2, No. 10, pp. 744-752.
- Omkar, S. N., Rahul Khandelwal, T. V. S. Ananth, G. Narayana Naik, and S. Gopalakrishnan. 2009. Quantum behaved Particle Swarm Optimization (QPSO) for multi-objective design optimization of composite structures. *Expert Systems with Applications* 36, no. 8, pp. 11312-11322.
- Ouabida, E., Essadique, A. and Bouzid, A., 2017. Vander Lugt Correlator based active contours for iris segmentation and tracking. *Expert Systems with Applications*, 71, pp.383-395.
- Park, H.A. and Park, K.R., 2007. Iris recognition based on score level fusion by using SVM. *Pattern Recognition Letters*, 28(15), pp.2019-2028.
- Patra, Swarnajyoti, Rahul Gautam, and Anshu Singla, 2014. A novel context sensitive multilevel thresholding for image segmentation. *Applied Soft Computing* 23, pp. 122-127.
- Petro et al., 2014. Multi Scale Retinex, *Image Processing Online*, Morel3ISSN 2105–1232 c 2014 IPOL & the authors CC–BY–NC–SA, Vol. 5.
- Pillai, J.K., Patel, V.M., Chellappa, R. and Ratha, N.K., 2011. Secure and robust iris recognition using random projections and sparse representations. *IEEE transactions on pattern analysis and machine intelligence*, 33(9), pp.1877-1893.
- Pirale, D., Nirgude, M., Gengje, S., 2016. Iris Recognition using Wavelet Transform and Neural Networks. *International Journal of Science and Research (IJSR)*. 5(5), pp. 1055-1060.
- Pizer, S.M., Amburn, E.P., Austin, J.D., Cromartie, R., Geselowitz, A., Greer, T., ter Haar Romeny, B., Zimmerman, J.B. and Zuiderveld, K., 1987. Adaptive histogram equalization and its variations. *Computer vision, graphics, and image processing*, 39(3), pp.355-368.

- Poornima, S., C. Rajavelu, and S. Subramanian, 2010. Comparison and a neural network approach for iris localization. *Procedia Computer Science* 2, pp. 127-132.
- Proenca, H. and Alexandre, L.A., 2007. Toward noncooperative iris recognition: A classification approach using multiple signatures. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(4).
- Proença, H. and Santos, G., 2012. Fusing color and shape descriptors in the recognition of degraded iris images acquired at visible wavelengths. *Computer Vision and Image Understanding*, 116(2), pp.167-178.
- Proenca, H., 2010. Iris recognition: On the segmentation of degraded images acquired in the visible wavelength. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 32(8), pp.1502-1516.
- Radman, A., Zainal, N. and Suandi, S.A., 2017. Automated segmentation of iris images acquired in an unconstrained environment using HOG-SVM and GrowCut. *Digital Signal Processing*, 64, pp.60-70.
- Raffei, A.F.M., Asmuni, H., Hassan, R. and Othman, R.M., 2013. Feature extraction for different distances of visible reflection iris using multiscale sparse representation of local Radon transform. *Pattern Recognition*, 46(10), pp.2622-2633.
- Raghavi, K. Aishwarya, M. Vishnu Priya, G. Prowino Madonna Paiva, and Saranya Mohan, 2011. Human iris recognition using fuzzy neural concepts. In *The International Conference on Bioscience, Biochemistry and Bioinformatics (IPCBEE)*, vol. 5, pp. 256-260.
- Rahulkar, A.D. and Holambe, R.S., 2012. Half-iris feature extraction and recognition using a new class of biorthogonal triplet half-band filter bank and flexible k-out-of-n: a postclassifier. *IEEE Transactions on Information Forensics and Security*, 7(1), pp.230-240.
- Rahulkar, A.D. and Holambe, R.S., 2012. Partial iris feature extraction and recognition based on a new combined directional and rotated directional wavelet filter banks. *Neurocomputing*, 81, pp.12-23.
- Rahulkar, A.D., Jadhav, D.V. and Holambe, R.S., 2012. Fast discrete curvelet transform based anisotropic iris coding and recognition using k-out-of-n: A fused post-classifier. *Machine Vision and Applications*, pp.1-13.
- Rahulkar, A.D., Jadhav, D.V. and Holambe, R.S., 2012. Fast discrete curvelet transform based anisotropic iris coding and recognition using k-out-of-n: A fused post-classifier. *Machine Vision and Applications*, 23(6), pp.1115-1127.
- Rahulkar, A.D., Waghmare, L.M. and Holambe, R.S., 2014. A new approach to the design of hybrid finer directional wavelet filter bank for iris feature extraction and classification using k-out-of-n: A post-classifier. *Pattern Analysis and Applications*, 17(3), pp.529-547.

- Rai, H. and Yadav, A., 2014. Iris recognition using combined support vector machine and Hamming distance approach. *Expert systems with applications*, 41(2), pp.588-593.
- Ramaiah N. P. and Kumar, A., 2017. Toward More Accurate Iris Recognition Using Cross-Spectral Matching. *IEEE Transactions on Image Processing*, 26(1), pp.208-221.
- Ramkumar R. P., 2012. Novel Iris Recognition Algorithm. *ICCCNT*, IEEE, 2012, pp. 1-6.
- Rojas, R., 1996. The backpropagation algorithm. In *Neural networks* (pp. 149-182). Springer Berlin Heidelberg.
- Rojas, R., 2013. *Neural networks: a systematic introduction*. Springer Science & Business Media.
- Roy, K., Bhattacharya, P. and Suen, C.Y., 2011. Iris recognition using shape-guided approach and game theory. *Pattern Analysis and Applications*, 14(4), pp.329-348.
- Roy, K., Bhattacharya, P. and Suen, C.Y., 2012. Iris segmentation using game theory. *Signal, Image and Video Processing*, 6(2), pp.301-315.
- Sahmoud, S.A. and Abuhaiba, I.S., 2013. Efficient iris segmentation method in unconstrained environments. *Pattern Recognition*, 46(12), pp.3174-3185.
- Sankowski, W., Grabowski, K., Napieralska, M., Zubert, M. and Napieralski, A., 2010. Reliable algorithm for iris segmentation in eye image. *Image and vision computing*, 28(2), pp.231-237.
- Santos, G. and Hoyle, E., 2012. A fusion approach to unconstrained iris recognition. *Pattern Recognition Letters*, 33(8), pp.984-990.
- Santos, G. and Hoyle, E., 2012. A fusion approach to unconstrained iris recognition. *Pattern Recognition Letters*, 33(8), pp.984-990.
- Sarhan, Ahmad M, 2009. Iris Recognition Using Discrete Cosine Transform and Artificial Neural Networks. *Journal of Computer Science* 5, no. 5, pp.369-373.
- Schuckers, S.A., Schmid, N.A., Abhyankar, A., Dorairaj, V., Boyce, C.K. and Hornak, L.A., 2007. On techniques for angle compensation in nonideal iris recognition. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 37(5), pp.1176-1190.
- Scotti, F. and Piuri, V., 2010. Adaptive Reflection Detection and Location in Iris Biometric Images by Using Computational Intelligence Techniques. *IEEE Trans. Instrumentation and Measurement*, 59(7), pp.1825-1833.
- Shah, S. and Ross, A., 2009. Iris segmentation using geodesic active contours. *IEEE Transactions on Information Forensics and Security*, 4(4), pp.824-836.
- Shamsafar, F., Seyedarabi, H. and Aghagolzadeh, A., 2014. Fusing the information in visible light and near-infrared images for iris recognition. *Machine Vision and Applications*, 25(4), pp.881-899.

- Shin, K.Y., Nam, G.P., Jeong, D.S., Cho, D.H., Kang, B.J., Park, K.R. and Kim, J., 2012. New iris recognition method for noisy iris images. *Pattern Recognition Letters*, 33(8), pp.991-999.
- Si, Y., Mei, J. and Gao, H., 2012. Novel approaches to improve robustness, accuracy and rapidity of iris recognition systems. *IEEE transactions on industrial informatics*, 8(1), pp.110-117.
- Song, Y., Cao, W. and He, Z., 2014. Robust iris recognition using sparse error correction model and discriminative dictionary learning. *Neurocomputing*, 137, pp.198-204.
- Sudha, N., Puan, N.B., Xia, H. and Jiang, X., 2009. Iris recognition on edge maps. *IET computer vision*, 3(1), pp.1-7.
- Sun, Shengnan, Shicai Yang, and Lindu Zhao, 2013. Noncooperative bovine iris recognition via SIFT. *Neurocomputing* 120, pp. 310-317.
- Sun, Z. and Tan, T., 2009. Ordinal measures for iris recognition. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 31(12), pp.2211-2226.
- Szewczyk, R., Grabowski, K., Napieralska, M., Sankowski, W., Zubert, M. and Napieralski, A., 2012. A reliable iris recognition algorithm based on reverse biorthogonal wavelet transform. *Pattern Recognition Letters*, 33(8), pp.1019-1026.
- Tallapragada, V.V.S. and Rajan, E.G., 2012. Improved kernel-based iris recognition system in the framework of support vector machine and hidden markov model. *IET image processing*, 6(6), pp.661-667.
- Tan, C.W. and Kumar, A., 2012. Unified framework for automated iris segmentation using distantly acquired face images. *IEEE Transactions on Image Processing*, 21(9), pp.4068-4079.
- Tan, C.W. and Kumar, A., 2014. Accurate iris recognition at a distance using stabilized iris encoding and zernike moments phase features. *IEEE Transactions on Image Processing*, 23(9), pp.3962-3974.
- Tan, T., He, Z. and Sun, Z., 2010. Efficient and robust segmentation of noisy iris images for non-cooperative iris recognition. *Image and vision computing*, 28(2), pp.223-230.
- Tan, T., Zhang, X., Sun, Z. and Zhang, H., 2012. Noisy iris image matching by using multiple cues. *Pattern Recognition Letters*, 33(8), pp.970-977.
- Thornton, J., Savvides, M. and Kumar, B.V., 2007. A Bayesian approach to deformed pattern matching of iris images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 29(4), pp.596-606.
- Thul, S.V., Rishishwar, A. and Trivedi, M., 2016. Performance of Identification System Based on Score Level Fusion.

- Tsai, C.C., Lin, H.Y., Taur, J. and Tao, C.W., 2012. Iris recognition using possibilistic fuzzy matching on local features. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 42(1), pp.150-162.
- Umer, S., Dhara, B.C. and Chanda, B., 2016. Texture code matrix-based multi-instance iris recognition. *Pattern Analysis and Applications*, 19(1), pp.283-295.
- Vatsa, M., Singh, R. and Noore, A., 2008. Improving iris recognition performance using segmentation, quality enhancement, match score fusion, and indexing. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 38(4), pp.1021-1035.
- Velisavljevic, V., 2009. Low-complexity iris coding and recognition based on directionlets. *IEEE Transactions on Information Forensics and Security*, 4(3), pp.410-417.
- Wang, N., Li, Q., El-Latif, A.A.A., Zhang, T. and Niu, X., 2014. Toward accurate localization and high recognition performance for noisy iris images. *Multimedia tools and applications*, 71(3), pp.1411-1430.
- Wang, Q., Zhang, X., Li, M., Dong, X., Zhou, Q. and Yin, Y., 2012. Adaboost and multi-orientation 2D Gabor-based noisy iris recognition. *Pattern Recognition Letters*, 33(8), pp.978-983.
- Wildes, R.P., 1997. Iris recognition: an emerging biometric technology. *Proceedings of the IEEE*, 85(9), pp.1348-1363.
- Xu, G., Zhang, Z. and Ma, Y., 2008. A novel method for iris feature extraction based on intersecting cortical model network. *Journal of Applied Mathematics and Computing*, 26(1-2), pp.341-352.
- Yu, L., Zhang, D. and Wang, K., 2007. The relative distance of key point based iris recognition. *Pattern Recognition*, 40(2), pp.423-430.
- Zhang, M., Sun, Z. and Tan, T., 2012. Perturbation-enhanced feature correlation filter for robust iris recognition. *IET biometrics*, 1(1), pp.37-45.
- Zhou, Zhiping, Huijun Wu, and Qianxing Lv, 2008. A new iris recognition method based on Gabor wavelet neural network. In *Intelligent Information Hiding and Multimedia Signal Processing*, 2008. IIHMSP'08 International Conference on, IEEE, pp. 1101-1104.
- Ziauddin, S. and Dailey, M.N., 2009. A robust hybrid iris localization technique. In *Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology*, 2009. ECTI-CON 2009. 6th International Conference on, IEEE, Vol. 2, pp. 1058-1061.
- Zimmermann, H.J., 1996, *Fuzzy Set Theory and Its Applications*, Third Ed., Springer, pp.11-21.