

LIST OF FIGURES

Figure No.	Content
1	Maps showing study sites
2	<i>Cyathea gigantea</i> Wall. ex. Hook in natural habitat
3	<i>Cyathea gigantea</i> Wall. ex. Hook (preserved)
4	<i>Dioscorea alata</i> L. in natural habitat.
5	<i>Dioscorea alata</i> L. (preserved).
6	<i>Arundina graminifolia</i> (D. Don.) Hochr. in natural habitat.
7	<i>Kaempferia parviflora</i> Wall. ex. Baker in natural habitat.
8	Growth of sporophyte in terms of dry weight and fresh weight <i>Cyathea gigantea</i> Wall. ex. Hook.
9	Effect of different concentration of hormone on sporophyte length in <i>Cyathea gigantea</i> Wall. ex. Hook.
10	Effect of different concentration of growth regulators on shoot length and shoot number in <i>D. alata</i> . L.
11	Effect of different concentration of IAA on root length and root number in <i>D. alata</i> L.
12	Effect of different concentration of growth regulators on shoot length in <i>A. graminifolia</i> (D. Don) Hochr.

- 13 Effect of different concentration of growth regulators on root length in *A. graminifolia*(D. Don) Hochr.
- 14 Effect of different concentration of NAA and BAP on shoot length of *K. parviflora* Wall. Ex. Baker.
- 15 Effect of different concentration of IAA and NAA on root length in *K. parviflora* Wall. Ex. Baker.

LIST OF TABLES

Table No.	Content
3.1	Sterilization technique used in plant Tissue Culture
3.2	Preparation of stock solution of MS macrosalts (10X)
3.3	Preparation of stock solution of MS microsals (100X)
3.4	Preparation of stock solution of MS vitamins (100X)
3.5	Preparation of stock solution of plant growth regulators
3.6	Minimum time necessary for autoclaving nutrient media
4.1	Average germination percentage of spores of <i>Cyathea gigantea</i> Wall. ex. Hook.
4.2	Growth of gametophyte (prothallus) after 4 month in terms of fresh weight (mg) for 10 numbers of prothallus of <i>Cyathea gigantea</i> Wall. ex. Hook.
4.3	Growth of sporophye of <i>Cyathea gigantea</i> Wall ex. Hook after 6 month in terms of fresh weight and dry weight.
4.4	Effect of growth regulators on length (cm) of sporophyte of <i>Cyathea gigantea</i> Wall ex. Hook after 10 month.

- 4.5 Effect of various concentration of IAA on axillary bud proliferation of *Dioscorea alata* L.
- 4.6 Shoot formation in nodal explants of *Dioscorea alata* L. on MS medium supplemented with various concentration of Kinetin and IAA .
- 4.7 Influence of different concentration of IAA on rooting of *in vitro* generated shootlets of *Dioscorea alata* L.
- 4.8 Effect of various concentration of NAA on axillary bud proliferation of *Arundina graminifolia*(D. Don.)Hochr.
- 4.9 Effect of growth regulators on shoot formation in nodal explants of *Arundina graminifolia* (D. Don.)Hochr. .
- 4.10 Influence of different concentration of IAA and NAA on rooting *in vitro* generated shootlets of *Arundina graminifolia*(D.Don.) Hochr.
- 4.11 Effect of growth regulators (Kinetin and NAA) on shoot formation of *Kaemferia parviflora* Wall. Ex. Baker
- 4.12 Effect of growth regulators (BAP and NAA) on shoot formation of *Kaemferia parviflora*Wall. Ex. Baker
- 4.13 Effect of growth regulators (IAA and NAA) on root formation of *Kaemferia parviflora* Wall. Ex. Baker.

LIST OF PHOTOPLATES

Photoplate No	Contents
1	Incubated culture bottles in culture room.
2	Photograph of different stages of growth of <i>Cyathea gigantea</i> Wall. ex. Hook. under <i>in vitro</i> condition on MS basal media.
3	Photograph of different stages of growth of <i>Cyathea gigantea</i> Wall. ex. Hook. under <i>in vitro</i> condition on MS media with Growth regulators.
4	Photograph of complete sporophyte of <i>Cyathea gigantea</i> Wall. ex. Hook. developed under <i>in vitro</i> condition.
5	Microphotograph of sporangium and gametophyte of <i>Cyathea gigantea</i> Wall. ex. Hook.
6	Photograph of different stages of growth of <i>Dioscorea alata</i> L. on MS basal media under <i>in vitro</i> condition.
7	Photograph of different stages of growth of <i>Dioscorea alata</i> L. on MS basal media with different growth regulators under <i>in vitro</i> condition.

- 8 Photograph different stages of growth of *Arundina graminifolia* (D. Don.) Hochr. on MS basal media with different growth regulators under *in vitro* condition.

- 9 Photograph of different stages of growth of *Kaempferia parviflora* Wall. Ex. Baker on MS media with BAP and NAA.

- 10 Photograph of different stages of growth of *Kaempferia parviflora* Wall. Ex. Baker on MS media with Kinetin and NAA.

- 11 Photograph of plants after field transfer.