

References

- [1] Sumit Saha, Biprajit Nath, A new initial search direction for nonlinear Conjugate Gradient method, Internal Journal of Mathematics Research, ISSN 0976-5840, Volume 6, Number 2 (2014), pp. 183-190.
- [2] WEI, Z. X., HUANG, H. D., TAO, Y. R., A Modified Hestenes-Stiefel Conjugate Gradient Method and Its Convergence, Journal of Mathematical Research & Exposition Mar., 2010, Vol. 30, No. 2, pp. 297–308
- [3] Yuan, G. , Lu, S. and Wei, Z., A line search algorithm for un constrained optimization, J. Software Engg. And applications, 2010, 3:503 -509
- [4] Bayati ,A.Y. AL and Muhammad ,R. S., New Scaled Sufficient Descent Conjugate Gradient Algorithm for Solving Unconstraint Optimization Problems, Journal of Computer Science 6 (5): 511-518, 2010 ISSN 1549-3636
- [5] Kiwiel, K., Improved convergence result for the discrete gradient and Secant methods for nonsmooth optimization, J. Optim Theory Appl. (2010) 144: 69-75
- [6] Goh, B.S., Convergence of algorithms in optimization and solutions of non linear equations, J. Optim Theory Appl. (2010) 144: 43-55
- [7] Bayati ,A. Y. AL, Salim ,A.J. and Abbo ,K. K., Two-Versions of Conjugate Gradient-Algorithms Based on Conjugacy Conditions for Unconstrained Optimization, American Journal of Economics and Business Administration 1 (2) 97-104, 2009, ISSN 1945-5488

- [8] N. Andrei, Acceleration of conjugate gradient algorithms for unconstrained optimization, *Appl.Math. Comput.* 213 (2009), no. 2, 361-369.
- [9] N. Andrei, Hybrid conjugate gradient algorithm for unconstrained optimization, *J. Optim.Theory Appl.* 141 (2009), no. 2, 249-264.
- [10] N. Andrei, Another nonlinear conjugate gradient algorithm for unconstrained optimization, *Optim. Methods Softw.* 24 (2009), no. 1, 89-104.
- [11] J.A. Ford, Y. Narushima and H. Yabe, Multi-step nonlinear conjugate gradient methods for unconstrained minimization, *Computational Optimization and Applications*, 40 (2008), 191–216.
- [12] Z. X. Wei, G. Y. Li and L. Q. Qi, Global convergence of the Polak-Ribiere-Polyak conjugate gradient method with an Armijo-type inexact line search for nonconvex unconstrained optimization problems, *Math. Comp.* 77 (2008), no. 264, 2173-2193.
- [13] N. Andrei, A scaled nonlinear conjugate gradient algorithm for unconstrained optimization, *Optimization* 57 (2008), no. 4, 549-570.
- [14] N. Andrei, A Dai-Yuan conjugate gradient algorithm with sufficient descent and conjugacy conditions for unconstrained optimization, *Appl. Math. Lett.* 21 (2008), no. 2, 165-171.
- [15] N. Andrei, A hybrid conjugate gradient algorithm with modified secant condition for unconstrained optimization, *ICI Technical Report*, February 6, 2008.
- [16] N. Andrei, A hybrid conjugate gradient algorithm for unconstrained optimization as a convex combination of Hestenes-Stiefel and Dai-Yuan, *Studies in Informatics and Control* 17 (2008), 55-70.

- [17] ANDREI N. Scaled conjugate gradient algorithms for unconstrained optimization [J]. *Comput. Optim. Appl.*, 2007, 38(3): 401–416.
- [18] LI Guoyin, TANG Chunming, WEI Zengxin. New conjugacy condition and related new conjugate gradient methods for unconstrained optimization [J]. *J. Comput. Appl. Math.*, 2007, 202(2): 523–539.
- [19] L. Zhang, W. Zhou and D.H. Li, Some descent three-term conjugate gradient methods and their global convergence, *Optimization Methods and Software*, 22 (2007), 697–711 .
- [20] A. V. Knyazev and I. Lashuk, Steepest descent and conjugate gradient methods with variable preconditioning, *SIAM J. Matrix Anal. Appl.* 29 (2007), no. 4, 1267-1280.
- [21] Z. Wei, G. Li and L. Qi, New nonlinear conjugate gradient formulas for large-scale unconstrained optimization problems, *Appl. Math. Comput.* 179 (2006), no. 2, 407-430.
- [22] WEI Zengxin, LI Guoyin, QI Liqun. New nonlinear conjugate gradient formulas for large-scale unconstrained optimization problems [J]. *Appl. Math. Comput.*, 2006, 179(2): 407–430.
- [23] WEI Zengxin, YAO Shengwei, LIU Liying. The convergence properties of some new conjugate gradient methods [J]. *Appl. Math. Comput.*, 2006, 183(2): 1341–1350.
- [24] W.W. Hager and H. Zhang, A survey of nonlinear conjugate gradient methods, *Pacific Journal of Optimization*, 2 (2006), 35–58.
- [25] L. Zhang, W. Zhou and D.H. Li, A descent modified Polak-Ribière-Polyak conjugate gradient method and its global convergence, *IMA Journal of Numerical Analysis*, 26:4 (2006), 629–640.

- [26] W. W. Hager and H. Zhang, A survey of nonlinear conjugate gradient methods, *Pac. J. Optim.* 2 (2006), no. 1, 35-58.
- [27] L. Zhang, W. Zhou and D.H. Li, Global convergence of a modified Fletcher-Reeves conjugate gradient method with Armijo-type line search, *Numerische Mathematik*, 104:4(2006), 561–572.
- [28] W. W. Hager and H. Zhang, A new conjugate gradient method with guaranteed descent and an efficient line search, *SIAM J. Optim.* 16 (2005), no. 1, 170-192.
- [29] HAGER W W, ZHANG Hongchao. A new conjugate gradient method with guaranteed descent and an efficient line search [J]. *SIAM J. Optim.*, 2005, 16(1): 170–192.
- [30] W.W. Hager and H. Zhang, A new conjugate gradient method with guaranteed descent and an efficient line search, *SIAM Journal on Optimization*, 16 (2005), 170–192.
- [31] H. Yabe and N. Sakaiwa, A new nonlinear conjugate gradient method for unconstrained optimization, *Journal of the Operations Research Society of Japan*, 48(2005) No.4, 284–296.
- [32] H. Yabe and M. Takano, Global convergence properties of nonlinear conjugate gradient methods with modified secant condition, *Comput. Optim. Appl.* 28 (2004), no. 2, 203-225.
- [33] H. Yabe and M. Takano, Global convergence properties of nonlinear conjugate gradient methods with modified secant condition, *Computational Optimization and Applications*, 28(2004), 203–225.
- [34] DAI Yuhong, NI Qin. Testing different conjugate gradient methods for large-scale unconstrained optimization [J]. *J. Comput. Math.*, 2003, 21(3): 311–320.

- [35] Y.-H. Dai and L.-Z. Liao, New conjugacy conditions and related nonlinear conjugate gradient methods, *Appl. Math. Optim.* 43 (2001), no. 1, 87-101.
- [36] J. Zhang and C. Xu, Properties and numerical performance of quasi-Newton methods with modified quasi-Newton equations, *J. Comput. Appl. Math.* 137 (2001), no. 2, 269-278.
- [37] DAI Yuhong, YUAN Yaxiang. *Nonlinear Conjugate Gradient Methods* [M]. Shanghai: Shanghai Scientific and Technical Publishers, 2000.
- [38] Y.H. Dai and Y. Yuan, A nonlinear conjugate gradient method with a strong global convergence property, *SIAM Journal on Optimization*, 10 (1999), 177–182.
- [39] J. Z. Zhang, N. Y. Deng and L. H. Chen, New quasi-Newton equation and related methods for unconstrained optimization, *J. Optim. Theory Appl.* 102 (1999), no. 1, 147-167.
- [40] F. A. Potra and Y. Shi, Efficient line search algorithm for unconstrained optimization, *J. Optim. Theory Appl.* 85 (1995), no. 3, 677-704.
- [41] YUAN Yaxiang. Analysis on the conjugate gradient method [J]. *Optim. Methods Softw.*, 1993, 2: 19–29.
- [42] J. C. Gilbert and J. Nocedal, Global convergence properties of conjugate gradient methods for optimization, *SIAM J. Optim.* 2 (1992), no. 1, 21-42.
- [43] Y. F. Hu and C. Storey, Global convergence result for conjugate gradient methods, *J. Optim. Theory Appl.* 71 (1991), no. 2, 399-405.
- [44] R. Fletcher and C. M. Reeves, Function minimization by conjugate gradients, *Comput. J.* 7(1964), 149-154.

- [45] M.R. Hestenes and E. Stiefel, Methods of conjugate gradients for solving linear systems, *Journal of Research of the National Bureau of Standards*, 49(1952), 409–436.
- [46] Y.H DAI AND Y.YUAN, An efficient hybrid conjugate gradient method for unconstrained optimization, *Ann. Oper. Res.* 103(2001), pp. 33-47
- [47] J.L. NAZARETH, A view of conjugate gradient related algorithms for nonlinear optimization, Proceedings of the AMS-IMS-SIAM. Summer Research Conference on Linear and nonlinear Conjugate Gradient related methods, University of WASHINGTON, Seattle, WA (July 9-13,1995)
- [48] J.Y HAN, G.H.LIU AND H.X YIN ,Two fundamental convergence theorems for nonlinear conjugate gradient methods and their applications, *Acta Math, Appl. Sinica*, 17(2001), pp. 38-46.
- [49] Y. LIU AND C. STOREY, Efficient generalised conjugate gradient algorithms, Part 1: Theory, *J. Optim. Theory Appl.* 69(1991), pp. 129-137.
- [50] J. NOCEDAL, Theory of algorithms for unconstrained optimization, *Acta Numerica*, Cambridge University Press, 1991, pp.199-242.
- [51] J. NOCEDAL, Conjugate Gradient methods and nonlinear optimization, Proceedings of the AMS-IMS-SIAM Summer Research Conference on Linear and Nonlinear Conjugate Gradient-Related methods, University of Waashington, Seattle, WA(July 9-13,1995).
- [52] Y.H DAI AND Q. Ni, Testing different conjugate gradient methods for large-scale unconstrained optimization, *J. Comput. Math.*, 21(2003), pp.311-320.
- [53] Y. H. DAI AND Y.YUAN, Convergence properties of the Fletcher-Reeves method, *IMA J Numer, Anal*, 16(1996), pp. 155-164.

- [54] H.P. Crowder and P. Wolfe, Linear Convergence of the Conjugate Gradient method, IBM J.Res. Dec 16(1969).pp 431-433.
- [55] A. Cohen. Rate of convergence of several Conjugate Gradient method algorithms, SIAM Journal on Numerical Analysis 9(1972).pp 248-259.
- [56] P.McCormick and K.Ritter, Alternative proofs of the convergence properties of the Conjugate Gradient method. JOTA13:5(1975) PP.497-518.
- [57] N. Andrei, 40 Conjugate Gradient algorithms for unconstrained optimization. A survey on their definition. ICI Technical Report No. 13/08, March 14, 2008.
- [58] G.Zoutendijk, Nonlinear Programming Computational methods, in integer and nonlinear programming, J. Abadie ,ed., North- Holland, Amsterdam, 1970, pp. 37-86.
- [59] P. Wolfe , Convergence conditions for ascent methods, some corrections, SIAM Review, 13(1971), PP.185-188.
- [60] P. Wolfe , Convergence conditions for ascent methods, some corrections, SIAM Review, 11(1969), PP.226-235.
- [61] Dai YH analysis of C.G methods ,Ph.D thesis, Institute of Computational Mathematics and Scientific/Engineering Computing, Chinese Academy of Sciences (In Chinese) (1997)
- [62] Raydan M The Barzilai and Borwein gradient method for the large scale unconstrained minimization problems SIAM J Optim 7(1997), PP 26-33.
- [63] K.M Khoda, Y.Liu and C.Storey, Generalised Polak Ribiere algorithm, Journal of optimization, 75(1992) Issue 2, PP 345—354.

[64] A.Buckly and A.Lenir, QN like variable storage Conjugate Gradients, Math.Prog.27(1983), 155-175.

[65]M.J.D, Powell+ ,Restart procedure of the C.G method, Math,Program 2(1997) .PP, 241-254.

[66] Y.H Dai and Y.Yuan, Convergence properties of Beale Powell restart method. Sciences In China(series A), 41(1998), PP 1142—1150.

[67] Birgin EG, Martinezn JM(2001). A spectral Conjugate Gradient method for unconstrained optimization Appl Math optim43 ,117-28

[68] A. Perry, A class of Conjugate Gradient algorithms with two-step variable metric memory , Discussion paper no. 269,Center for Mathematical Studies in the Economics and Management Science, Northwestern University 1977.

[69] J.L. Nazareth, The method of successive affine reduction for nonlinear minimization , Mathematical Programming, 35(1986), pp.373-387.

[70] A Buckley, A combined Conjugate Gradient quasi-Newton minimization Algorithm, Mathematical programming, 15(1978), pp.200-210.

[71] J Nocedal, Updating quasi-Newton matrices with limited storage, Mathematics of Computation, 35(1980), pp.773-782

[72] Y.F. Hu and C.Storey, On unconstrained Conjugate Gradient optimization methods their relationships, Mathematics Report Number AI29, Loughborough University of Technology, 1990.

[73] Andrei,N., Open Problems in Nonlinear Conjugate Gradient Algorithms for unconstrained Optimization, Bull. Malays. Math. Sci. Soc. (2) 34(2) (2011), 319–330
