

**2023/TDC(CBCS)/EVEN/SEM/
CHMHCC-201T/331**

TDC (CBCS) Even Semester Exam., 2023

**CHEMISTRY
(Honours)**

(2nd Semester)

Course No. : CHMHCC-201T

(Organic Chemistry—I)

Full Marks : 50

Pass Marks : 20


Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—A


Answer any ten questions : 2×10=20

1. Draw the orbital picture of $\text{CH}_3\text{CH}=\text{C}=\text{O}$.
2. Write the canonical forms of the following carbocation and indicate with reason, the most contributing canonical form :




(2)

3. Between sodium chloride and sodium bromide in dimethyl sulfoxide (DMSO) solution, Cl^- ion behaves as a better nucleophile than Br^- ion. Explain.

4. Carry out the synthesis of  using Wurtz-Fittig reaction. Comment on the choice of the starting materials.


5. Identify A and B for the following reactions :



6. Give the major products of the reaction of 1-methylcyclohexene with the following reagents separately : 1+1=2

- (a) HBr
(b) HBr/Peroxide

7. Arrange the following species according to their stability. Give reason of your choice : 1+1=2



(3)

8. Although all C—C bonds are equal length, $\text{C}_1\text{—C}_2$ bond length in naphthalene is 1.365 Å. While for $\text{C}_2\text{—C}_3$, it is 1.404 Å. How do you account for this?



9. What would be the product composition if an equimolar mixture of toluene and chlorobenzene is treated with 1 molar proportion of bromine in presence of iron powder? Predict with plausible reaction mechanism involved.

10. Give examples which corroborate the following facts : 1+1=2

- (a) A meso compound having three chiral centres
(b) A chiral molecule that cannot be resolved

11. Draw the Fischer projection formula of (2S, 3R)-3-chloro-butan-2-ol and convert it into Newman projection formula (any conformer). 1+1=2

12. Mention whether ligands H_a and H_b in each of the following compounds are homotopic/enantiotopic or diastereotopic : 1+1=2



(4)

13. Indicate the preferred conformation of *trans*-1,3-di-*tert*-butyl cyclohexane with proper reasons.
14. Discuss the symmetry and optical activities of *cis*- as well as *trans*-1,2-dimethylcyclohexane
15. Equal amounts of (a, a) and (e, e) conformers of *trans*-1,2-dibromocyclohexane exist in non-polar solvents but the (e, e) conformation prevails in polar solvent. Explain.

SECTION—B

Answer any five questions :

6×5=30



16. (a) Tertiary butyl alcohol is miscible in water in all proportions but 1-butanol is partially miscible. Account for the observation. 1½
- (b) Comment on the relative stabilities of the following carbocations : 1½
- $\text{H}_3\text{C}-\text{C}^+(\text{Ph})-\text{H}_3\text{C}$, $\text{Cyclopentyl}^+-\text{CH}_3$, $\text{CH}_3-\text{C}^+(\text{CH}_3)_2-\text{CH}_3$
- (c) Compare and explain the dipole moments of the following compounds : 3
- $\text{CH}_3-\text{CH}_2-\text{Cl}$, $\text{H}_2\text{C}=\text{CH}-\text{Cl}$, $\text{HC}\equiv\text{C}-\text{Cl}$
17. (a) Compare the basicities and nucleophilicities of NH_3 , NH_2NH_2 and NH_2OH . Give reasons. 2½

(5)


- (b) Explain which C—N bond, *a* or *b* has a shorter bond length in the following compound : 1½




- (c) Write IUPAC names of the following compounds : 1+1=2



18. (a) Give the structures of all possible alkenes that could form in the following reaction. Indicate the major product and explain its formation : 3




- (b) Indicate suitable reagents to carry out the following conversions (show the intermediate compounds and mechanisms) : 1½+1½=3




(6)

19. (a) Write the structure of product(s) of the following reaction and comment on the relative amount (%) of the product(s). 1+1=2





- (b) Write down the products of the following reactions with plausible mechanisms : 2+2=4



20. (a) Explain why aniline is more reactive than acetanilide in electrophilic substitution. 2



- (b) Predict the products and outline the mechanisms for each of the following reactions : 2+2=4






(7)

21. (a) Provide Haworth synthesis of anthracene. 3

- (b) Provide the synthesis of the following compounds. You can use any reagent and solvent for the purpose : $1\frac{1}{2}+1\frac{1}{2}=3$



22. (a) Assign R/S and E/Z configurations of the following compounds : $1\times 3=3$



- (b) Draw the Fischer projection of a meso-isomer of $\text{H}_3\text{C}(\text{CHOH})_3\text{CH}_3$ and point out the stereogenic and achirotopic centre(s), if any, in it. Explain. 3

23. (a) What is meant by enantiomeric excess (ee)? The pure (+) enantiomer of a compound shows a specific rotation of $+80^\circ$. Calculate the percentage of the (-) enantiomer of the same compound in a partially resolved sample showing a specific rotation of -20° . 1+2=3
- (b) Write all possible stereoisomers of the following compound and comment on their optical activity : 3
- $$\text{H}_3\text{C}-\text{CH}=\text{CH}-\text{CH}(\text{CH}_3)-\text{CH}=\text{CH}-\text{CH}_3$$
24. (a) With appropriate conformations, delineate the preferred pathway for chair \rightleftharpoons twist boat interconversion of cyclohexane. Which symmetry element is retained along the pathway? Discuss. 3
- (b) Draw all possible conformations of 1,3-dihydroxy cyclohexanes. Which conformation is most stable one? Which one is optically active? 3
25. (a) What is Sachse-Mohr theory? Explain. 2½
- (b) Applying conformational analysis, explain the observation that one of the diastereomers of 4-hydroxycyclohexane-carboxylic acid undergoes facile lactonization on brief heating. 2½
- (c) Draw boat conformation of cyclohexane in Newman Projection. 1

★ ★ ★

2023/TDC(CBCS)/EVEN/SEM/
CHMHCC-201T/331