

**2023/TDC (CBCS)/EVEN/SEM/
MTMHCC-601T/036**

TDC (CBCS) Even Semester Exam., 2023

MATHEMATICS

(Honours)

(6th Semester)

Course No. : MTMHCC-601T

(Complex Analysis)

Full Marks : 70

Pass Marks : 28

Time : 3 hours

*The figures in the margin indicate full marks
for the questions*

SECTION—A

Answer any ten of the following : 2×10=20

1. Prove that $|x|+|y| \leq \sqrt{2}|x+iy|$, where x and y are real.
2. If $|z_1|=|z_2|$ and $\arg z_1 + \arg z_2 = 0$, then show that z_1 and z_2 are conjugate.

(2)

3. Find

$$\lim_{z \rightarrow e^{\pi i/3}} (z - e^{\pi i/3}) \frac{z}{z^3 + 1}$$

4. Write down the Cauchy-Riemann equations in Cartesian coordinates.

5. Define analytic function with an example.

6. Is the function $u(x, y) = 2xy + 3xy^2 - 2y^3$ harmonic?

7. Evaluate

$$\int_0^{1+i} (x^2 + iy) dz$$

along the path $y = x$.

8. Evaluate

$$\oint_C \frac{e^z}{z-2} dz$$

where C is the circle $|z|=3$.9. If $f(z)$ is analytic in a simply connected region D , then show that

$$\int_a^z f(z) dz$$

is independent of the paths in D joining two points a and z .

J23/812

(Continued)

(3)

10. State Liouville's theorem.

11. Expand $f(z) = \sin z$ in a Taylor's series about $z=0$.

12. Show that the series

$$1 + \frac{1}{2!} + \frac{1}{3!} + \frac{1}{4!} + \dots$$

is convergent.

13. Find the poles of

$$\left(\frac{z+1}{z^2+1} \right)^2$$

14. Define Laurent's theorem.

15. Define pole with an example.

SECTION—B

Answer any five of the following questions : $10 \times 5 = 50$ 16. (a) If z lies on the circle $|z-1|=1$, then prove that $\arg(z-1) = 2 \arg z = \frac{2}{3} \arg z(z-1)$. 3(b) Find the equation of the circle passing through the points z_1, z_2, z_3 . 5(c) Show that the zeros of $\sin z$ are real numbers. 2

J23/812

(Turn Over)

(4)

17. (a) Show how the complex number $\frac{z_1}{z_2}$ can be represented by a vector. What is the vector representation of the conjugate of the complex number z ? Deduce the condition for two complex numbers z_1 and z_2 to be conjugate. 5

(b) Prove that a function continuous in a closed and bounded region in the z plane is bounded. 5

18. (a) If a function is differentiable in the z plane, then prove that it is continuous in the z plane. Give an example to show that the converse is not true. 3+2=5

(b) If $f(z)$ is analytic single-valued complex function of $z = x + iy$, prove that

$$\left(\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial y^2} \right) |f(z)|^2 = 4 |f'(z)|^2$$

5

19. (a) Show that the function

$$f(z) = e^{-z^{-4}}, \quad z \neq 0$$

$$= 0, \quad z = 0$$

is not analytic at $z=0$, although Cauchy-Riemann equations are satisfied at that point. 5

(5)

(b) Prove that $e^x \cos y$ is harmonic. Determine its harmonic conjugate and find the corresponding analytic function in terms of z . 5

20. (a) If $f(z)$ is analytic and its derivative $f'(z)$ is continuous at all points and on a simple closed curve C , then prove that

$$\oint_C f(z) dz = 0$$

Give an example to show that

$$\oint_C f(z) dz = 0$$

but $f(z)$ is not analytic. 4+3=7

(b) Evaluate

$$\oint_C |z|^2 dz$$

where C is the square with vertices $(0,0)$, $(1,0)$, $(1,1)$, $(0,1)$. 3

21. (a) Prove that if $f(z)$ is integrable along a curve C having finite length L and if there exists a positive number M such that $|f(z)| \leq M$ on C , then

$$\left| \int_C f(z) dz \right| \leq ML$$

4

(6)

- (b) Determine the domain of analyticity of the function $f : \mathbb{C} \rightarrow \mathbb{C}$, $f(z) = ze^{-z}$ and apply Cauchy's theorem to show that

$$\int_{\Gamma} ze^{-z} dz = 0$$

where $\Gamma = \{z: |z|=1\}$. 4

- (c) State Cauchy's integral formula. 2

22. (a) State the fundamental theorem of algebra and prove it by using Liouville's theorem. 5

- (b) Expand $\log(1+z)$ in a Taylor's series about $z=0$ and determine the region of convergence for the resulting series. 5

23. (a) If $f(z)$ is continuous in a simply connected region D and

$$\oint_C f(z) dz = 0$$

where C is any simple closed curve in D , then show that $f(z)$ is analytic in D . 5

- (b) Show that the positive term geometric series $1+r+r^2+\dots$ converges for $r < 1$ and diverges to $+\infty$ for $r \geq 1$. 5

(7)

24. (a) Define different types of singularities with examples. 5

- (b) State and prove Cauchy's residue theorem. 5

25. Use calculus of residues to prove that—

$$(a) \int_0^{2\pi} e^{\cos\theta} \cdot \cos(n\theta - \sin\theta) d\theta = \frac{2\pi}{n}$$

$$(b) \int_{-\pi}^{\pi} \frac{a \cos\theta}{a + \cos\theta} d\theta = 2\pi a \left[1 - \frac{a}{\sqrt{a^2 - 1}} \right], \quad a > 1$$

5+5=10
